


	[kg]	Article n°
Alu-Framax Xlife panel 0.90x2.70m	68.8	588301500
Alu-Framax Xlife panel 0.75x2.70m	55.7	588302500
Alu-Framax Xlife panel 0.60x2.70m	47.8	588304500
Alu-Framax Xlife panel 0.45x2.70m	40.1	588306500
Alu-Framax Xlife panel 0.30x2.70m	30.0	588308500
Alu-Framax Xlife panel 0.90x0.90m	25.6	588310500
Alu-Framax Xlife panel 0.75x0.90m	21.6	588312500
Alu-Framax Xlife panel 0.60x0.90m	17.8	588314500
Alu-Framax Xlife panel 0.45x0.90m	15.4	588316500
Alu-Framax Xlife panel 0.30x0.90m	11.5	588318500
Alu-Framax Xlife-Element		

Powder-coated




Alu-Framax Xlife panel 0.55x2.70m	44.4	588305500
Alu-Framax Xlife panel 0.55x0.90m	17.1	588315500
Alu-Framax Xlife-Element		

Powder-coated

Alu-Framax Xlife universal panel 0.75x2.70m	64.2	588322500
Alu-Framax Xlife universal panel 0.75x1.35m	33.8	588324500
Alu-Framax Xlife universal panel 0.75x0.90m	27.0	588326500
Alu-Framax Xlife-Uni-Element		


Powder-coated

Corners marked in blue




Alu-Framax Xlife inside corner 2.70m	50.3	588330500
Alu-Framax Xlife inside corner 0.90m	18.5	588332500
Alu-Framax Xlife-Innenecke		

Powder-coated




Framax outside corner 2.70m	47.0	588126000
Framax outside corner 0.90m	16.0	588336000
Framax-Außenecke		

Galvanised




	[kg]	Article n°
Framax hinged inside corner I 2.70m	102.3	588136000
Framax hinged inside corner I 0.90m	38.8	588352000
Framax-Scharnierecke I		

Powder-coated, blue



Framax hinged outside corner A 2.70m	52.8	588134000
Framax hinged outside corner A 0.90m	17.6	588350000
Framax-Scharnierecke A		


Powder-coated, blue



Framax closure plate R20 2.70m	27.5	588340000
Framax closure plate R20 0.90m	9.0	588344000
Framax-Ausgleichsblech R20		


Powder-coated, blue

Width: 26 cm




Framax circular forming plate 0.20x2.70m	56.5	588235000
Framax circular forming plate 0.25x2.70m	63.5	588236000
Framax circular forming plate 0.30x2.70m	67.4	588237000
Framax circular forming plate 0.20x0.90m	21.6	588241000
Framax circular forming plate 0.25x0.90m	23.5	588242000
Framax circular forming plate 0.30x0.90m	24.6	588243000
Framax-Bogenblech		

Galvanised, powder-coated



Framax steel waling RD 0.40m	8.7	588189000
Framax-Stahlwandriegel RD 0,40m		


Painted blue



Framax quick acting clamp RU	3.3	588153400
Framax-Schnellspanner RU		

Galvanised

Length: 20 cm




[kg] Article n°

Framax multi function clamp


Framax-Uni-Spanner

5.8 588169000

Galvanised
Length: 40 cm**Framax adjustable clamp**


Framax-Ausgleichsspanner

5.3 588168000

Galvanised
Length: 48 cm**Framax universal fixing bolt 10-16cm**


Framax-Universalverbinder 10-16cm

0.60 588158000

Galvanised
Length: 26 cm**Framax universal fixing bolt 10-25cm**


Framax-Universalverbinder 10-25cm

0.69 583002000

Galvanised
Length: 36 cm**Framax stop-end tie**

Framax-Stirnanker

1.5 588143000

Galvanised
Length: 29 cm**Framax pressure plate 6/15**

Framax-Druckplatte 6/15

0.80 588183000



Galvanised


Framax universal waling 0.90m

Framax-Universalwaling 1.50m

10.6 588150000

Framax-Klemmschiene

16.8 588148000




Painted blue

Framax universal corner waling


Framax-Eckklemmschiene

12.8 588151000

Painted blue
Leg length: 60 cm**Framax wedge clamp**

Framax-Spannklemme

1.5 588152000

Galvanised
Length: 21 cm**Panel strut 340**

Elementstütze 340

30.2 588246000

consisting of:

(A) Prop head

2 pcs.

3.5 588244000

Galvanised
Length: 40.8 cm
Width: 11.8 cm
Height: 17.6 cm**(B) Prop shoe**Galvanised
Length: 20 cm
Width: 11 cm
Height: 10 cm


2.1 588245000

(C) Plumbing strut 340Galvanised
Length: 190 - 341 cm

14.2 588247000

(D) Adjusting strut 120Galvanised
Length: 80 - 130 cm

7.2 588248000

Galvanised
Delivery condition: folded closed**Panel strut 540**

Elementstütze 540

49.0 588249000

consisting of:

(A) Prop head

2 pcs.

3.5 588244000

Galvanised
Length: 40.8 cm
Width: 11.8 cm
Height: 17.6 cm**(B) Prop shoe**Galvanised
Length: 20 cm
Width: 11 cm
Height: 10 cm

2.1 588245000


(C) Plumbing strut 540Galvanised
Length: 309 - 550 cm

29.6 588250000

(D) Adjusting strut 220


Length: 171 - 224 cm

10.2 588251000

Galvanised
Delivery condition: folded closed**Universal dismantling tool**

Universal-Lösewerkzeug

3.7 582768000


Galvanised
Length: 75.5 cm

[kg] Article n°

[kg] Article n°

Doka express anchor 16x125mm

Doka-Expressanker 16x125mm

0.31 588631000

Galvanised
Length: 18 cm
Follow fitting instructions!

Doka coil 16mm


Doka-Coil 16mm

0.009 588633000

Galvanised
Diameter: 1.6 cm

Framax bracket 90

Framax-Konsole 90


12.5 588167000

Galvanised
Width: 103 cm
Height: 185 cm
Delivery condition: railing included

Scaffold tube 48.3mm 1.00m**3.6 682014000****Scaffold tube 48.3mm 1.50m****5.4 682015000****Scaffold tube 48.3mm 2.00m****7.2 682016000****Scaffold tube 48.3mm 2.50m****9.0 682017000****Scaffold tube 48.3mm 3.00m****10.8 682018000****Scaffold tube 48.3mm 3.50m****12.6 682019000****Scaffold tube 48.3mm 4.00m****14.4 682021000****Scaffold tube 48.3mm 4.50m****16.2 682022000****Scaffold tube 48.3mm 5.00m****18.0 682023000****Scaffold tube 48.3mm 5.50m****19.8 682024000****Scaffold tube 48.3mm 6.00m****21.6 682025000****Scaffold tube 48.3mmm****3.6 682001000**

Gerüstrohr 48,3mm

Galvanised

**Scaffold tube connection**

Gerüstrohranschluss

0.27 584375000

Galvanised
Height: 7 cm

Screw-on coupler 48mm 50


Anschraubkupplung 48mm 50

0.84 682002000

Galvanised
Width-across: 22 mm

Framax pouring platform O 1.25/2.70m


Framax-Betonierbühne O 1,25/2,70m

117.0 588360000

Timber parts varnished yellow
Steel parts galvanised
Delivery condition: folded closed

Framax pouring platform U 1.25/2.70m


Framax-Betonierbühne U 1,25/2,70m

127.5 588377000

Steel parts galvanised
Timber parts varnished yellow
Delivery condition: folded closed

Side handrail clamping unit T


Seitenschutzgeländer T

29.1 580488000

Galvanised
Length: 115 - 175 cm
Height: 112 cm

**Framax lifting hook**

Framax-Umsetzbügel

10.6 588149000

Galvanised
Height: 22 cm
Follow the directions in the "Operating Instructions"!

CE

**Framax stacking cone**


Framax-Stapelkonus

0.02 588234000

Blue
Diameter: 2 cm

Doka 4-part chain 3.20m

Doka-Vierstrangkette 3,20m

15.0 588620000


Follow the directions in the "Operating Instructions"!

CE

Framax transport gear

Framax-Transportgehänge

13.3 588232000

Galvanised
Follow the directions in the "Operating Instructions"!**Dokamatic lifting strap 13.00m**

Dokamatic-Umsetzgurt 13,00m


10.5 586231000

Green
Follow the directions in the "Operating Instructions"!**Fix-De-Fix remote uncoupling system 3150kg**

Abhängeautomat Fix-De-Fix 3150kg

27.0 586014000

Follow the directions in the "Operating Instructions"!

**Framax fitting timber 2x12cm 2.70m**

Framax fitting timber 3x12cm 2.70m

Framax fitting timber 5x12cm 2.70m

Framax fitting timber 10x12cm 2.70m

Framax-Passholz

3.1 176020000

4.7 176022000

7.8 176024000

15.5 176026000

Varnished yellow

**Framax moulded timber 27mm 2.70m**

Framax moulded timber 21mm 2.70m

Framax moulded timber 18mm 2.70m

Framax-Profilholz

7.6 176012000

8.0 176010000

8.4 176119000

Varnished yellow

**Framax formwork stripping timb. 10x12cm 2.85m**

Framax-Ausschalholz 10x12cm 2,85m

16.4 176008000

Varnished yellow

**Framax steel closure plate 5cm 2.70m**

Framax steel closure plate 5cm 0.90m

Framax-Stahlausgleich

14.0 588273000

6.0 588271000

Powder-coated, blue

**Connecting timber**

Anklemmholz

0.70 176030000

Varnished yellow
Width: 10 cm**Framax triangular ledge 2.70m**

Framax-Dreikantleiste 2,70m

0.38 588170000

**Framax frontal triangular ledge 2.70m**

Framax-Stirndreikantleiste 2,70m

1.9 588129000

Grey

**Framax anchoring bracket**

Framax-Ankerhaltewinkel

1.4 588188000

Painted blue
Width: 9 cm
Height: 13 cm**Framax foundation clamp 0.90m**

Framax-Fundamentspanner 0,90m

4.9 588141000

Galvanised

**Doka perforated tape 50x2.0mm 25m**

Doka-Lochband 50x2,0mm 25m

17.0 588206000



[kg] Article n°

Universal plug R20/25
Kombi Ankerstopfen R20/25

0.003 588180000



Blue
Diameter: 3 cm

Framax plug R24.5
Framax-Abdeckstopfen R24,5

0.003 588181000



Yellow
Diameter: 2 cm

Plug for closure plate R25
Ausgleichsblechstopfen R25

0.003 588187000




Black
Diameter: 3 cm

Framax 3-in-1 pole tool
Framax-Montagegange


4.2 588678000

Galvanised
Length: 193 cm



Double scraper Xlife 100/150mm 1.40m
Doppelschaber Xlife 100/150mm 1,40m


2.8 588674000



Alu-Framax pallet
Alu-Framax-Palette

126.7 588396000


Galvanised
Length: 280 cm
Width: 110 cm
Height: 107 cm
Delivery condition: folded closed
Follow the directions in the "Operating Instructions"!



Doka stacking pallet 1.55x0.85m
Doka-Stapelpalette 1,55x0,85m


42.0 586151000

Galvanised
Height: 77 cm
Follow the directions in the "Operating Instructions"!



Doka accessory box
Doka-Kleinteilebox

106.4 583010000




Timber parts varnished yellow
Steel parts galvanised
Length: 154 cm
Width: 83 cm
Height: 77 cm
Follow the directions in the "Operating Instructions"!

Bolt-on castor set B
Anklemm-Radsatz B

33.6 586168000

Painted blue



Doka Safety Systems



You will find working and protection platforms, guardrail systems and access systems in the section headed "Doka Safety Systems".