


[kg] Article n°

FF100 tec element 2.50x6.00m 21mm	1111.0	586813000
FF100 tec element 1.25x6.00m 21mm	634.0	586814000
FF100 tec element 1.00x6.00m 21mm	467.0	586815000
FF100 tec element 0.75x6.00m 21mm	405.0	586816000
FF100 tec element 2.50x4.25m 21mm	843.0	586809000
FF100 tec element 1.25x4.25m 21mm	483.0	586810000
FF100 tec element 1.00x4.25m 21mm	355.0	586811000
FF100 tec element 0.75x4.25m 21mm	309.0	586812000
FF100 tec element 2.50x3.00m 21mm	622.0	586801000
FF100 tec element 1.25x3.00m 21mm	363.0	586802000
FF100 tec element 1.00x3.00m 21mm	267.0	586803000
FF100 tec element 0.75x3.00m 21mm	232.0	586804000
FF100 tec element 2.50x1.25m 21mm	355.0	586805000
FF100 tec element 1.25x1.25m 21mm	218.0	586806000
FF100 tec element 1.00x1.25m 21mm	160.0	586807000
FF100 tec element 0.75x1.25m 21mm	138.0	586808000
FF100 tec element 2.50x0.60m 21mm	140.0	586817000
FF100 tec element 1.25x0.60m 21mm	70.0	586818000
FF100 tec element 1.00x0.60m 21mm	53.0	586819000
FF100 tec element 0.75x0.60m 21mm	44.0	586820000


FF100 tec-Element



FF100 tec grille 2.50x6.00m	895.0	586837000
FF100 tec grille 1.25x6.00m	527.0	586838000
FF100 tec grille 1.00x6.00m	382.0	586839000
FF100 tec grille 0.75x6.00m	343.0	586840000
FF100 tec grille 2.50x4.25m	689.0	586833000
FF100 tec grille 1.25x4.25m	408.0	586834000
FF100 tec grille 1.00x4.25m	295.0	586835000
FF100 tec grille 0.75x4.25m	245.0	586836000
FF100 tec grille 2.50x3.00m	515.0	586825000
FF100 tec grille 1.25x3.00m	310.0	586826000
FF100 tec grille 1.00x3.00m	225.0	586827000
FF100 tec grille 0.75x3.00m	200.0	586828000
FF100 tec grille 2.50x1.25m	310.0	586829000
FF100 tec grille 1.25x1.25m	196.0	586830000
FF100 tec grille 1.00x1.25m	143.0	586831000
FF100 tec grille 0.75x1.25m	126.0	586832000
FF100 tec grille 2.50x0.60m	117.0	586841000
FF100 tec grille 1.25x0.60m	60.0	586842000
FF100 tec grille 1.00x0.60m	45.0	586843000
FF100 tec grille 0.75x0.60m	38.0	586844000

FF100 tec grille 2.50x6.00m	895.0	586837000
FF100 tec grille 1.25x6.00m	527.0	586838000
FF100 tec grille 1.00x6.00m	382.0	586839000
FF100 tec grille 0.75x6.00m	343.0	586840000
FF100 tec grille 2.50x4.25m	689.0	586833000
FF100 tec grille 1.25x4.25m	408.0	586834000
FF100 tec grille 1.00x4.25m	295.0	586835000
FF100 tec grille 0.75x4.25m	245.0	586836000
FF100 tec grille 2.50x3.00m	515.0	586825000
FF100 tec grille 1.25x3.00m	310.0	586826000
FF100 tec grille 1.00x3.00m	225.0	586827000
FF100 tec grille 0.75x3.00m	200.0	586828000
FF100 tec grille 2.50x1.25m	310.0	586829000
FF100 tec grille 1.25x1.25m	196.0	586830000
FF100 tec grille 1.00x1.25m	143.0	586831000
FF100 tec grille 0.75x1.25m	126.0	586832000
FF100 tec grille 2.50x0.60m	117.0	586841000
FF100 tec grille 1.25x0.60m	60.0	586842000
FF100 tec grille 1.00x0.60m	45.0	586843000
FF100 tec grille 0.75x0.60m	38.0	586844000


FF100 tec-Trägerrost



FF100 tec inside corner 3.00m 21mm	215.0	586821000
FF100 tec inside corner 1.25m 21mm	120.0	586822000

FF100 tec-Innenecke


Width: 55 cm



FF100 tec inside corner grille 3.00m	172.0	586845000
FF100 tec inside corner grille 1.25m	101.0	586846000

FF100 tec-Inneneckrost


Width: 52 cm



FF100 tec outside corner 3.00m 21mm	359.0	586823000
FF100 tec outside corner 1.25m 21mm	200.0	586824000

FF100 tec-Aussenecke


Width: 110 cm



FF100 tec outside corner grille 3.00m	316.0	586847000
FF100 tec outside corner grille 1.25m	180.0	586848000













FF100 tec-Ausseneckrost


Width: 110 cm



[kg] Article n°



[kg] Article n°

Filler neck GF SCC
GF-Füllstutzen SCC**39.0 580217000**Galvanised
Length: 66 cm**Top100 tec transition plate 21mm**
Top100 tec-Übergangslasche 21mm**16.0 586927000**Painted blue
Height: 51 cm**Panel closure tool D125 SCC**
Sperrschieber D125 SCC**18.0 588127000**Galvanised
Length: 18 cm
Width: 33 cm
Height: 27 cm**Connecting pin 10cm**
Verbindungsbolzen 10cm**0.34 580201000**Galvanised
Length: 14 cm**Fastening bolt FF20**
Spannbolzen FF20**0.30 587545000**Galvanised
Length: 17 cm
Width-across: 30 mm**Spring cotter 5mm**
Federvorstecker 5mm**0.05 580204000**Galvanised
Length: 13 cm**Star grip nut 15.0 G**
Sternmutter 15,0 G**0.47 587544000**Galvanised
Width: 10 cm
Height: 5 cm
Width-across: 30 mm**Stacking angle FF20**
Aufstockwinkel FF20**7.8 587547000**Painted blue
Height: 46 cm**Top100 tec formwork element connector**
Top100 tec-Elementverbinder**11.5 586923000**Painted blue
Length: 125 cm**Top100 tec adjustable waling extension**
Top100 tec-Ausgleichslasche**21.0 586924000**Painted blue
Length: 137 cm**H20 screw-on bracket for formwork sheets**
Schalhaut-Schraubwinkel H20**0.19 586256000**Galvanised
Height: 19.2 cm**Beam clamp Top50**
Trägerklammer Top50**1.2 580081000**Painted blue
Height: 15 cm**Top100 tec anchoring plate**
Top100 tec-Ankerungslasche**7.0 586925000**Painted blue
Length: 56 cm**Top100 tec internal angle plate**
Top100 tec-Innenecklasche**26.5 586926000**Painted blue
Leg length: 70 cm

Panel strut 340 Elementstütze 340 consisting of:	30.2 588246000	Eurex 60 550 Eurex 60 550 depending on length, comprising:	
(A) Prop head 2 pcs. Galvanised Length: 40.8 cm Width: 11.8 cm Height: 17.6 cm	3.5 588244000	(A) Plumbing strut Eurex 60 550 Powder-coated, blue Aluminium Length: 343 - 553 cm	42.5 582658000
(B) Prop shoe Galvanised Length: 20 cm Width: 11 cm Height: 10 cm	2.1 588245000	(B) Extension Eurex 60 2.00m Powder-coated, blue Aluminium Length: 250 cm	21.3 582651000
(C) Plumbing strut 340 Galvanised Length: 190 - 341 cm	14.2 588247000	(C) Coupler Eurex 60 Aluminium Length: 100 cm Diameter: 12.8 cm	8.6 582652000
(D) Adjusting strut 120 Galvanised Length: 80 - 130 cm	7.2 588248000	(D) Connector Eurex 60 Galvanised Length: 15 cm Width: 15 cm Height: 30 cm	3.9 582657000
	Galvanised Delivery condition: folded closed	(E) Plumbing strut shoe Eurex 60 Galvanised Length: 31 cm Width: 12 cm Height: 33 cm	8.5 582660000
		(F) Adjusting strut 540 Eurex 60 Galvanised Length: 302 - 543 cm	29.0 582659000

Galvanised
Delivery condition: folded closed


Delivery condition: separate parts

Panel strut 540 Elementstütze 540 consisting of:	49.0 588249000		
(A) Prop head 2 pcs. Galvanised Length: 40.8 cm Width: 11.8 cm Height: 17.6 cm	3.5 588244000		
(B) Prop shoe Galvanised Length: 20 cm Width: 11 cm Height: 10 cm	2.1 588245000		
(C) Plumbing strut 540 Galvanised Length: 309 - 550 cm	29.6 588250000		
(D) Adjusting strut 220 Length: 171 - 224 cm	10.2 588251000		
	Galvanised Delivery condition: folded closed		

Galvanised
Delivery condition: folded closed

Universal dismantling tool
Universal-Lösewerkzeug **3.7 582768000**

Galvanised
Length: 75.5 cm



Doka express anchor 16x125mm
Doka-Expressanker 16x125mm **0.31 588631000**

Galvanised
Length: 18 cm
Follow fitting instructions!



[kg] Article n°

[kg] Article n°

Doka coil 16mm

Doka-Coil 16mm

0.009 588633000

Galvanised


Diameter: 1.6 cm

Scaffold tube 48.3mm 1.00m**3.6 682014000****Scaffold tube 48.3mm 1.50m****5.4 682015000****Scaffold tube 48.3mm 2.00m****7.2 682016000****Scaffold tube 48.3mm 2.50m****9.0 682017000****Scaffold tube 48.3mm 3.00m****10.8 682018000****Scaffold tube 48.3mm 3.50m****12.6 682019000****Scaffold tube 48.3mm 4.00m****14.4 682021000****Scaffold tube 48.3mm 4.50m****16.2 682022000****Scaffold tube 48.3mm 5.00m****18.0 682023000****Scaffold tube 48.3mm 5.50m****19.8 682024000****Scaffold tube 48.3mm 6.00m****21.6 682025000****Scaffold tube 48.3mmm****3.6 682001000**

Gerüstrohr 48,3mm

Top scaffold bracket L


Betonierkonsole L

12.6 587153500

Galvanised

Length: 101 cm


Height: 159 cm



Galvanised

Top scaffold bracket L painted

Betonierkonsole L lackiert

12.0 587153000

Painted blue

Length: 101 cm

Height: 159 cm

Scaffold tube connection

Gerüstrohranschluss


0.27 584375000

Galvanised

Height: 7 cm

Top scaffold bracket L painted

Betonierkonsole L lackiert

12.0 587153000

Painted blue

Length: 101 cm

Height: 159 cm

Screw-on coupler 48mm 50

Anschraubkupplung 48mm 50


0.84 682002000

Galvanised

Width-across: 22 mm

Universal bracket 60

Universal-Konsole 60

14.0 580477000


Galvanised

Length: 86 cm

Height: 181 cm

Framax pouring platform U 1.25/2.70m

Framax-Betonierbühne U 1,25/2,70m

127.5 588377000


Steel parts galvanised

Timber parts varnished yellow

Delivery condition: folded closed

Universal bracket 90

Universal-Konsole 90

30.4 580476000

Galvanised

Length: 121 cm

Height: 235 cm

FF20 adapter for Framax pouring platform U

FF20-Adapter f. Framax-Betonierbühne U


6.8 588381000

Galvanised

Length: 34 cm

Top50 adapter for Framax pouring platform U

Top50-Adapter für Framax-Betonierbühne U

18.5 588384000

Galvanised

Width: 75 cm

Height: 134 cm

Universal railing shackle

Universal-Geländerbügel


3.0 580478000

Galvanised

Height: 20 cm

Side handrail clamping unit T

Seitenschutzgeländer T

29.1 580488000

Galvanised
Length: 115 - 175 cm
Height: 112 cm

**Lifting bracket**


Kranöse

6.2 580460000

Galvanised
Height: 59 cm

Handrail post T 1.80m

Einschubgeländer T 1,80m

17.7 584373000


Galvanised

Doka Safety Systems

You will find working and protection platforms, guardrail systems and access systems in the section headed "Doka Safety Systems".

Doka 4-part chain 3.20m

Doka-Vierstrangkette 3,20m

15.0 588620000

Follow the directions in the "Operating Instructions"!

**Lifting chain 100cm 15kN**

Anschlagkette 100cm 15kN

1.8 587548000

Length: 103 cm
Follow the directions in the "Operating Instructions"!

**Dokamatic lifting strap 13.00m**


Dokamatic-Umsetzgurt 13,00m

10.5 586231000

Green
Follow the directions in the "Operating Instructions"!

**Fix-De-Fix remote uncoupling system 3150kg**

Abhängeautomat Fix-De-Fix 3150kg

27.0 586014000

Follow the directions in the "Operating Instructions"!

