


[kg] Article n°

Staxo 40 frame 1.80m	24.3	582200000
Staxo 40 frame 1.20m	17.5	582201000
Staxo 40 frame 0.90m	14.6	582202000
Staxo 40-Rahmen		

Galvanised



Staxo 40 coupler	0.60	582203000
Staxo 40-Kupplungsstück		

Galvanised
Height: 30.8 cm

Staxo 40 tube connector D48.3mm	0.07	582204000
Staxo 40-Rohrstecker D48,3mm		

Yellow




Diagonal cross 9.100	4.1	582772000
Diagonal cross 9.150	5.2	582773000
Diagonal cross 9.165	5.7	582627000
Diagonal cross 9.175	6.1	582334000
Diagonal cross 9.200	6.6	582774000
Diagonal cross 9.250	7.7	582775000
Diagonal cross 9.300	9.0	582323000
Diagonal cross 12.100	4.6	582610000
Diagonal cross 12.150	5.7	582612000
Diagonal cross 12.165	6.1	582628000
Diagonal cross 12.175	6.3	582335000
Diagonal cross 12.200	6.9	582614000
Diagonal cross 12.250	8.3	582616000
Diagonal cross 12.300	9.3	582325000
Diagonal cross 18.100	6.1	582620000
Diagonal cross 18.150	6.9	582622000
Diagonal cross 18.165	7.3	582629000
Diagonal cross 18.175	7.8	582336000
Diagonal cross 18.200	7.8	582624000
Diagonal cross 18.250	9.1	582626000
Diagonal cross 18.300	10.3	582326000
Diagonalkreuz		

Galvanised
Delivery condition: folded closed


Diagonal brace d2 9.100	2.0	582740000
Diagonal brace d2 9.125	2.2	582741000
Diagonal brace d2 9.152	2.6	582742000
Diagonal brace d2 9.175	3.0	582743000
Diagonal brace d2 9.200	3.3	582744000
Diagonal brace d2 9.225	5.9	582745000
Diagonal brace d2 9.250	6.8	582746000
Diagonal brace d2 12.100	2.2	582712000
Diagonal brace d2 12.125	2.5	582713000
Diagonal brace d2 12.152	2.9	582714000
Diagonal brace d2 12.175	3.1	582715000
Diagonal brace d2 12.200	3.5	582716000
Diagonal brace d2 12.225	6.0	582717000
Diagonal brace d2 12.250	6.7	582718000
Diagonal brace d2 18.100	3.0	582720000
Diagonal brace d2 18.125	3.3	582721000
Diagonal brace d2 18.152	5.8	582722000
Diagonal brace d2 18.175	6.1	582723000
Diagonal brace d2 18.200	6.4	582724000
Diagonal brace d2 18.225	6.9	582725000
Diagonal brace d2 18.250	7.4	582726000
Diagonalstrebe d2		

Galvanised




Horizontal brace d2 100	1.6	582730000
Horizontal brace d2 125	1.9	582731000
Horizontal brace d2 152	2.3	582732000
Horizontal brace d2 175	2.7	582733000
Horizontal brace d2 200	3.0	582734000
Horizontal brace d2 225	3.4	582735000
Horizontal brace d2 250	3.8	582736000
Horizontalstrebe d2		


Galvanised




Staxo 40 4-way screw-jack head 30cm	6.5	582209000
Staxo 40-Vierwegkopfspindel 30cm		

Galvanised
Height: 67.8 cm

Staxo 40 4-way screw-jack head 70cm	8.9	582210000
Staxo 40-Vierwegkopfspindel 70cm		

Galvanised
Height: 117.6 cm

Staxo 40 screw jack U-head 30cm	4.7	582207000
Staxo 40-Kopfspindel 30cm		

Galvanised
Height: 55.7 cm

[kg] Article n°

[kg] Article n°


Staxo 40 screw jack U-head 70cm

Staxo 40-Kopfspindel 70cm

7.0 582208000

Galvanised

Height: 105.5 cm

**Staxo 40 screw jack foot 30cm**

Staxo 40-Fußspindel 30cm

3.9 582205000

Galvanised

Height: 50.7 cm


**Staxo 40 screw jack foot 70cm**

Staxo 40-Fußspindel 70cm

6.1 582206000

Galvanised

Height: 100.5 cm

**Staxo 40 anti-dropout lock**

Staxo 40-Spindelsicherung

0.54 582211000

Galvanised

Powder-coated, blue

Length: 9.0 cm

Width: 8.8 cm

Height: 8.6 cm

**Staxo 40 bracket 90cm**


Staxo 40-Konsole 90cm

8.6 582212000

Galvanised

Width: 108.9 cm


Height: 65.5 cm

**Staxo 40 frame strut 1.40m**

Staxo 40-Rahmenstrebe 1,40m

6.5 582213000

Galvanised

**Staxo 40 planking strut 1.00m**

Staxo 40 planking strut 1.50m

5.7 582215000


Staxo 40 planking strut 2.00m

7.3 582216000

Staxo 40-Belagstrebe

9.3 582217000

Galvanised

**Scaffold planking 60/60cm**

Scaffold planking 60/100cm

6.1 582330500

Scaffold planking 60/150cm

9.5 582306500

Scaffold planking 60/175cm

13.6 582307500

Scaffold planking 60/200cm

15.5 582332500

Scaffold planking 60/250cm

17.8 582308500


Scaffold planking 60/300cm

22.2 582309500

Gerüstbelag

26.2 582310500

Aluminium

**Scaffold planking 60/100cm with manhole**

Scaffold planking 60/150cm with manhole

9.5 582311500

Scaffold planking 60/175cm with manhole

13.8 582312500

Scaffold planking 60/200cm with manhole

15.5 582333500

Scaffold planking 60/250cm with manhole

17.7 582313500


Scaffold planking 60/300cm with manhole

20.8 582314500

Gerüstbelag mit Durchstieg

26.3 582315500


Aluminium

**Staxo 40 ladder 2.30m**

Staxo 40-Leiter 2,30m

15.0 582219000

Galvanised

**Staxo front railing**


Staxo-Stirngeländer

10.5 582316000

Galvanised

Length: 140 cm

Height: 152 cm

**Staxo side railing 100**

Staxo side railing 150

17.0 582317500

Staxo side railing 175

20.0 582318500

Staxo side railing 200

22.4 582331500

Staxo side railing 250

24.3 582319500

Staxo side railing 300


28.2 582320500

Staxo-Seitengeländer

31.4 582321500

Galvanised

Height: 152 cm



[kg] Article n°

[kg] Article n°

Spring locked connecting pin 16mm

Federbolzen 16mm

0.25 582528000

Galvanised
Length: 15 cm**Scaffold tube 48.3mm 1.00m**

Scaffold tube 48.3mm 1.50m

Scaffold tube 48.3mm 2.00m

Scaffold tube 48.3mm 2.50m

Scaffold tube 48.3mm 3.00m

Scaffold tube 48.3mm 3.50m

Scaffold tube 48.3mm 4.00m

Scaffold tube 48.3mm 4.50m

Scaffold tube 48.3mm 5.00m

Scaffold tube 48.3mm 5.50m

Scaffold tube 48.3mm 6.00m

Scaffold tube 48.3mmm

Gerüstrohr 48,3mm

3.6 682014000

5.4 682015000

7.2 682016000

9.0 682017000

10.8 682018000

12.6 682019000

14.4 682021000

16.2 682022000


18.0 682023000

19.8 682024000

21.6 682025000


3.6 682001000

Galvanised

**Swivel coupler 48mm**


Drehkupplung 48mm

1.5 582560000

Galvanised
Width-across: 22 mm**Normal coupler 48mm**


Normalkupplung 48mm

1.2 682004000

Galvanised
Width-across: 22 mm**Screw-on coupler 48mm 95**

Anschraubkupplung 48mm 95

0.88 586013000




Galvanised

Handrail post XP 1.20m

Geländersteher XP 1,20m

4.1 586460000

Galvanised
Height: 118 cm**Scaffold tube holder D48mm**

Gerüstrohrhalter D48mm

0.95 586464000

Galvanised
Height: 18 cm**Toeboard holder XP 1.20m**

Fußwehrhalter XP 1,20m

0.64 586461000

Galvanised
Height: 21 cm**Beam connection plate H20**


Gurtverbinder H20

0.08 586263000

Galvanised
Height: 8 cm**Staxo 40 shifting wheel**

Staxo 40-Umsetzrad

22.0 582218000

Galvanised
Height: 120 cm
Follow the directions in the "Operating Instructions"!

CE

Lifting rod 15.0

Umsetzstab 15,0

1.9 586074000

Painted blue
Height: 57 cm
Follow the directions in the "Operating Instructions"!

CE

Retaining plate 15.0


Jochplatte 15,0

1.8 586073000

Galvanised
Length: 17 cm
Width: 12 cm
Height: 11 cm**Lowering head H20**


Absenkkopf H20

6.1 586174000

Galvanised
Length: 25 cm
Width: 20 cm
Height: 38 cm**4-way head H20**

Vierwegkopf H20

4.0 586170000

Galvanised
Length: 25 cm
Width: 20 cm
Height: 33 cm**Doka Xtra head**

Doka Xtra-Kopf

9.7 586108000

Galvanised
Height: 69 cm


[kg] Article n°

[kg] Article n°


Fix-De-Fix remote uncoupling system 3150kg**27.0 586014000**

Abhängeautomat Fix-De-Fix 3150kg

Follow the directions in the "Operating Instructions"!

**Bracing waling connector WS10****2.7 582756000**


Abspann-Riegelverbinder WS10

Galvanised
Length: 46.7 cm**Universal plug R20/25****0.003 588180000**

Kombi Ankerstopfen R20/25

Blue
Diameter: 3 cm**Connecting pin 10cm****0.34 580201000**

Verbindungsbolzen 10cm

Galvanised
Length: 14 cm**Locking rod 15.0 330mm****0.48 582641000**

Quetschteil 15,0

Galvanised
Width-across: 24 mm**Spring cotter 5mm****0.05 580204000**

Federvorstecker 5mm

Galvanised
Length: 13 cm**Clamping plate for U-head****2.0 502709030**


Klemmplatte für Gabelkopf

Galvanised
Length: 24 cm
Width: 9 cm**Wing nut 15.0****0.31 581961000**

Flügelmutter 15,0

Galvanised
Length: 10 cm
Height: 5 cm
Width-across: 27 mm**DIN**
18216**Anchoring shoe for stair tower****3.4 582680000**


Ankerschuh für Treppenturm

Galvanised
Length: 22 cm
Width: 12 cm
Height: 22 cm**Cone screw B 7cm****0.86 581444000**

Konusschraube B 7cm

red
Length: 10 cm
Diameter: 7 mm
Width-across: 50 mm**Bracing for load-bearing towers****11.6 582795000**

Abspannung für Traggerüste

Galvanised
Painted blue**Extension Eurex 60 2.00m****21.3 582651000**

Verlängerung Eurex 60 2,00m

Powder-coated, blue
Aluminium
Length: 250 cm**Coupler Eurex 60****8.6 582652000**

Kupplungsstück Eurex 60

Aluminium
Length: 100 cm
Diameter: 12.8 cm

[kg] Article n°

[kg] Article n°

Prop head Eurex 60 Top50

Stützenkopf Eurex 60 Top50

7.1 582665000

Galvanised
Height: 50 cm**Connector Eurex 60**


Verbindungsstück Eurex 60

3.9 582657000

Galvanised
Length: 15 cm
Width: 15 cm
Height: 30 cm**Plumbing strut shoe Eurex 60**

Justierstützenfuß Eurex 60

8.5 582660000

Galvanised
Length: 31 cm
Width: 12 cm
Height: 33 cm**Plumbing strut 340 for precast members**


Justierstütze 340 für Fertigteile

18.2 588296000

Galvanised
Length: 190 - 341 cm**Plumbing strut 540 for precast members**

Justierstütze 540 für Fertigteile

33.3 588297000

Galvanised
Length: 309 - 550 cm**Plumbing strut 340**


Justierstütze 340

14.2 588247000

Galvanised
Length: 190 - 341 cm**Plumbing strut 540**

Justierstütze 540

29.6 588250000

Galvanised
Length: 309 - 550 cm**Prop shoe**


Stützenschuh

2.1 588245000

Galvanised
Length: 20 cm
Width: 11 cm
Height: 10 cm**Staxo 40 plumbing strut adapter**


Staxo 40-Justierstützenadapter

1.6 582214000

Galvanised
Height: 16 cm**Universal dismantling tool**

Universal-Lösewerkzeug

3.7 582768000

Galvanised
Length: 75.5 cm**Doka express anchor 16x125mm**

Doka-Expressanker 16x125mm

0.31 588631000

Galvanised
Length: 18 cm
Follow fitting instructions!**Doka coil 16mm**


Doka-Coil 16mm

0.009 588633000

Galvanised
Diameter: 1.6 cm**Spindle connecting plate T**

Spindel flasche T


3.1 584371000

Galvanised
Width: 20 cm
Height: 25 cm**Wedge for screw jack %**


Spindelkeil %

0.46 176071000


Length: 20 cm
Width: 16 cm

Super plate 15.0
Superplatte 15,0**1.1 581966000**

Galvanised
Height: 6 cm
Diameter: 12 cm
Width-across: 27 mm

**Staxo wedge support WS10**
Staxo-Keilaufleger WS10**8.7 582796000**



Galvanised
Length: 31 cm
Width: 15 cm
Height: 23 cm

Swivel bearing plate for screw jack U-head
Gelenkaufsatz Kopfspindel**5.2 582799000**

Galvanised
Length: 20.8 cm
Width: 15.0 cm
Height: 14.4 cm

Locking rod 15.0 330mm
Quetschteil 15,0 330mm**0.48 582641000**


Galvanised
Width-across: 24 mm

Wooden pallet 1.22x1.60m (DB, HT)
Wooden pallet 0.80x1.60m (DB, HT)
Holzpalette (DB, HT)**24.0 176139000****20.0 176140000****Doka stacking pallet 1.55x0.85m**
Doka-Stapelpalette 1,55x0,85m**42.0 586151000**

Galvanised
Height: 77 cm
Follow the directions in the "Operating Instructions"!

Bolt-on castor set B
Anklemm-Radsatz B**33.6 586168000**

Painted blue

**Doka Safety Systems**

You will find working and protection platforms, guardrail systems and access systems in the section headed "Doka Safety Systems".