


[kg] Article n°

Framax Xlife panel 1.35x2.70m	210.0	588100500
Framax Xlife panel 0.90x2.70m	126.5	588102500
Framax Xlife panel 0.60x2.70m	91.5	588104500
Framax Xlife panel 0.45x2.70m	77.7	588106500
Framax Xlife panel 0.30x2.70m	61.5	588108500
Framax Xlife panel 1.35x1.35m	106.3	588110500
Framax Xlife panel 0.90x1.35m	68.5	588112500
Framax Xlife panel 0.60x1.35m	50.5	588114500
Framax Xlife panel 0.45x1.35m	41.0	588116500
Framax Xlife panel 0.30x1.35m	31.8	588118500
Framax Xlife panel 1.35x3.30m	259.3	588221500
Framax Xlife panel 0.90x3.30m	154.5	588222500
Framax Xlife panel 0.60x3.30m	114.7	588223500
Framax Xlife panel 0.45x3.30m	97.9	588224500
Framax Xlife panel 0.30x3.30m	78.5	588225500

Framax Xlife-Element

Galvanised, powder-coated


Custom sizes on enquiry!



Framax Xlife panel 2.70x2.70m  
Framax Xlife panel 2.70x3.30m

Framax Xlife-Element 2,70m

Galvanised



[kg] Article n°  
416.0 588109500  
514.2 588608500

Framax Xlife panel 0.55x2.70m	87.0	588105500
Framax Xlife panel 0.55x1.35m	46.5	588115500
Framax Xlife panel 0.55x3.30m	107.5	588131500

Framax Xlife-Element


Galvanised, powder-coated

Corners marked in green

Framax Xlife panel 2.40x2.70m	370.0	588103500
Framax Xlife panel 2.40x3.30m	484.9	588606500

Framax Xlife-Element 2,40m

Galvanised




Framax Xlife universal panel 0.90x2.70m	148.0	588122500
Framax Xlife universal panel 0.90x1.35m	79.3	588124500
Framax Xlife universal panel 0.90x0.90m	63.0	588120500
Framax Xlife universal panel 0.90x3.30m	182.6	588228500

Framax Xlife-Uni-Element

Galvanised, powder-coated


Corners marked in blue



Framax Xlife panel 2.40x1.35m	200.0	588692500
-------------------------------	-------	-----------

Framax Xlife-Element 2,40x1,35m

Galvanised, powder-coated




Framax Xlife universal panel 1.20x2.70m	225.8	588601500
Framax Xlife universal panel 1.20x1.35m	116.7	588603500
Framax Xlife universal panel 1.20x0.90m	91.5	588604500
Framax Xlife universal panel 1.20x3.30m	276.7	588671500

Framax Xlife-Uni-Element

Galvanised, powder-coated

Corners marked in blue



Framax Xlife universal panel SCC 0.90x2.70m	170.3	588119500
---	-------	-----------

Framax Xlife-Uni-Element SCC 0,90x2,70m

Galvanised, powder-coated




[kg] Article n°


[kg] Article n°

**Framax hose to panel coupler SCC**

Framax-Spindelaufsatz SCC

**10.0 588121000**Galvanised  
Length: 48 cm  
Diameter: 27 cm**Panel closure tool D125 SCC**

Sperrschieber D125 SCC

**18.0 588127000**Galvanised  
Length: 18 cm  
Width: 33 cm  
Height: 27 cm**Framax Xlife inside corner 2.70m**


Framax Xlife inside corner 1.35m

Framax Xlife inside corner 3.30m

Framax Xlife-Innenecke

**97.0 588130500****51.2 588132500****117.9 588229500**

Galvanised, powder-coated

**Framax outside corner 2.70m**


Framax outside corner 1.35m

Framax outside corner 3.30m

Framax-Außenecke

**47.0 588126000****23.5 588128000****58.0 588227000**

Galvanised

**Framax hinged inside corner I galv. 2.70m**


Framax hinged inside corner I galv. 1.35m

Framax hinged inside corner I galv. 3.30m

Framax-Scharnierecke I

**105.8 588136500****57.2 588137500****129.2 588610500**

Galvanised, powder-coated


**Framax hinged outside corner A galv. 2.70m**

Framax hinged outside corner A galv. 1.35m

Framax-Scharnierecke A verzinkt

**52.8 588942000****27.5 588943000**

Galvanised, powder-coated

**Framax circular forming plate 0.20x2.70m**

Framax circular forming plate 0.25x2.70m

Framax circular forming plate 0.30x2.70m

Framax circular forming plate 0.20x1.35m


Framax circular forming plate 0.25x1.35m

Framax circular forming plate 0.30x1.35m

Framax-Bogenblech

**56.5 588235000****63.5 588236000****67.4 588237000****30.3 588238000****32.3 588239000****34.8 588240000**


Galvanised, powder-coated

**Framax steel waling RD 0.40m**

Framax-Stahlwandriegel RD 0,40m

**47.0 588126000****23.5 588128000****58.0 588227000****8.7 588189000**

Painted blue

**Framax stripping corner I 2.70m**


Framax stripping corner I 1.35m

Framax stripping corner I 3.30m

Framax-Ausschalecke I

**171.0 588675000****90.0 588614000****209.9 588676000**

Galvanised, powder-coated

**Framax hinged inside corner I galv. 2.70m**


Framax hinged inside corner I galv. 1.35m

Framax hinged inside corner I galv. 3.30m

Framax-Scharnierecke I

**105.8 588136500****57.2 588137500****129.2 588610500**

Galvanised, powder-coated

**Framax stripping spindle I**

Framax-Ausschalspindel I

**3.2 588618000**Galvanised  
Height: 25 cm**Framax stripping spindle I with ratchet**

Framax-Ausschalspindel I mit Ratsche

**5.5 588653000**Galvanised  
Height: 24.8 cm

[kg] Article n°

**Extension set Framax stripping spindle I**


Erweiterungsset Framax Ausschalspindel I

0.90 588947000

Galvanised  
Height: 2.5 cm**Dismantling tool Framax stripping spindle I**


Lösewerkzeug Framax Ausschalspindel I

4.5 588948000

Galvanised  
Height: 27.5 cm**Framax quick acting clamp RU**


Framax-Schnellspanner RU

3.3 588153400

Galvanised  
Length: 20 cm**Framax multi function clamp**


Framax-Uni-Spanner

5.8 588169000

Galvanised  
Length: 40 cm**Framax adjustable clamp**

Framax-Ausgleichsspanner

5.3 588168000

Galvanised  
Length: 48 cm**Framax stop-end waler tie 15-45cm**


Framax stop-end waler tie 15-75cm

15.0 588940000

20.6 588941000


Framax-Stirnabschalzwinge

Galvanised

**Framax universal fixing bolt 10-16cm**


Framax-Universalverbinder 10-16cm

0.60 588158000

Galvanised  
Length: 26 cm**Framax universal fixing bolt 10-25cm**


Framax-Universalverbinder 10-25cm

0.69 583002000

Galvanised  
Length: 36 cm**Framax stop-end tie**

Framax-Stirnanker

1.5 588143000

Galvanised  
Length: 29 cm**Framax pressure plate 6/15**

Framax-Druckplatte 6/15

[kg] Article n°

0.80 588183000



Galvanised

**Framax universal waling 0.60m**

Framax universal waling 0.90m

Framax universal waling 1.50m


Framax-Klemmschiene

6.6 588689000

10.6 588150000


16.8 588148000

Painted blue

**Framax universal corner waling**


Framax-Eckklemmschiene

12.8 588151000

Painted blue  
Leg length: 60 cm**Framax wedge clamp**

Framax-Spannklemme

1.5 588152000

Galvanised  
Length: 21 cm**Framax tensioning wedge R**


Framax-Spannkeil R

0.20 588155000

Galvanised  
Height: 11 cm**Framax wedge bolt RA 7.5**

Framax-Keilbolzen RA 7,5

0.34 588159000

Galvanised  
Length: 15 cm**Panel strut 340 IB**

Elementstütze 340 IB

consisting of:

24.3 580365000

**(A) Plumbing strut 340 IB**

Galvanised

Length: 190.8 - 341.8 cm

16.7 588696000

**(B) Adjusting strut 120 IB**


Galvanised

Length: 81.5 - 130.6 cm

7.6 588248500

Galvanised

Delivery condition: folded closed



**Panel strut 540 IB**

Elementstütze 540 IB

consisting of:

**(A) Plumbing strut 540 IB**

Galvanised

Length: 310.5 - 549.2 cm


**(B) Adjusting strut 220 IB**

Galvanised

Length: 172.5 - 221.1 cm

Galvanised

Delivery condition: folded closed

**41.4 580366000****30.7 588697000****10.9 588251500****Eurex 60 550**

Eurex 60 550

depending on length, comprising:

**(A) Plumbing strut Eurex 60 550**

Powder-coated, blue

Aluminium

Length: 343 - 553 cm

**(B) Extension Eurex 60 2.00m**

Powder-coated, blue

Aluminium

Length: 250 cm

**(C) Coupler Eurex 60**

Aluminium

Length: 100 cm

Diameter: 12.8 cm

**(D) Connector Eurex 60 IB**

Galvanised

Length: 15 cm

Width: 15 cm

Height: 30 cm

**(E) Plumbing strut shoe Eurex 60 EB**

Galvanised

Length: 31 cm

Width: 12 cm


Height: 33 cm

**(F) Adjusting strut 540 Eurex 60 IB**


Galvanised

Length: 303.5 - 542.2 cm

Delivery condition: separate parts

**Prop head EB**

Stützenkopf EB

**3.1 588244500**

Galvanised


Length: 40.8 cm

Width: 11.8 cm

Height: 17.6 cm

**Universal dismantling tool**

Universal-Lösewerkzeug

**3.7 582768000**

Galvanised

Length: 75.5 cm


[kg] Article n°

[kg] Article n°

**Doka express anchor 16x125mm**

Doka-Expressanker 16x125mm

0.31 588631000



Galvanised  
Length: 18 cm  
Follow fitting instructions!

**Doka coil 16mm**

Doka-Coil 16mm

0.009 588633000




Galvanised  
Diameter: 1.6 cm

**Framax bracket 90**

Framax-Konsole 90

12.5 588167000



Galvanised  
Width: 103 cm  
Height: 185 cm  
Delivery condition: railing included

**Scaffold tube connection**

Gerüstrohranschluss

0.27 584375000



Galvanised  
Height: 7 cm

**Scaffold tube 48.3mm 0.50m**

Scaffold tube 48.3mm 1.00m

Scaffold tube 48.3mm 1.50m

Scaffold tube 48.3mm 2.00m

Scaffold tube 48.3mm 2.50m

Scaffold tube 48.3mm 3.00m

Scaffold tube 48.3mm 3.50m

Scaffold tube 48.3mm 4.00m

Scaffold tube 48.3mm 4.50m

Scaffold tube 48.3mm 5.00m

Scaffold tube 48.3mm 5.50m

Scaffold tube 48.3mm 6.00m

Scaffold tube 48.3mm .....m

Gerüstrohr 48,3mm

1.7 682026000

3.6 682014000

5.4 682015000

7.2 682016000

9.0 682017000

10.8 682018000

12.6 682019000

14.4 682021000

16.2 682022000


18.0 682023000

19.8 682024000

21.6 682025000

3.6 682001000

Galvanised

**Screw-on coupler 48mm 50**

Anschraubkupplung 48mm 50

0.84 682002000




Galvanised  
Width-across: 22 mm

**Framax pouring platform O 1.25/2.70m**

Framax-Betonierbühne O 1,25/2,70m

117.0 588360000




Timber parts varnished yellow  
Steel parts galvanised  
Delivery condition: folded closed

**Framax pouring platform U 1.25/2.70m**

Framax-Betonierbühne U 1,25/2,70m

127.5 588377000




Steel parts galvanised  
Timber parts varnished yellow  
Delivery condition: folded closed

**Side handrail clamping unit T**

Seitenschutzgeländer T

29.1 580488000



Galvanised  
Length: 115 - 175 cm  
Height: 112 cm

**Scaffold tube connection**

Gerüstrohranschluss

0.27 584375000



Galvanised  
Height: 7 cm

**Scaffold tube 48.3mm 0.50m**

Scaffold tube 48.3mm 1.00m

Scaffold tube 48.3mm 1.50m

Scaffold tube 48.3mm 2.00m

Scaffold tube 48.3mm 2.50m

Scaffold tube 48.3mm 3.00m

Scaffold tube 48.3mm 3.50m

Scaffold tube 48.3mm 4.00m

Scaffold tube 48.3mm 4.50m

Scaffold tube 48.3mm 5.00m

Scaffold tube 48.3mm 5.50m

Scaffold tube 48.3mm 6.00m

Scaffold tube 48.3mm .....m

Gerüstrohr 48,3mm

1.7 682026000

3.6 682014000

5.4 682015000

7.2 682016000

9.0 682017000

10.8 682018000

12.6 682019000

14.4 682021000

16.2 682022000


18.0 682023000

19.8 682024000

21.6 682025000

3.6 682001000

Galvanised

**Screw-on coupler 48mm 50**

Anschraubkupplung 48mm 50

0.84 682002000




Galvanised  
Width-across: 22 mm

**Framax lifting hook**

Framax-Umsatzbügel

10.6 588149000



Galvanised  
Height: 22 cm  
Follow the directions in the "Operating Instructions"!

CE

**Framax stacking cone**

Framax-Stapelkonus

0.02 588234000




Blue  
Diameter: 2 cm

**Doka 4-part chain 3.20m**

Doka-Vierstrangkette 3,20m

15.0 588620000



Follow the directions in the "Operating Instructions"!

CE

**Framax transport bolt 5kN**

Framax-Transportbolzen 5kN

1.9 588621000



Follow the directions in the "Operating Instructions"!

CE


[kg] Article n°

[kg] Article n°

**Framax transport gear**

Framax-Transportgehänge

13.3 588232000

Galvanised  
Follow the directions in the "Operating Instructions"!**Framax steel closure plate 5cm 2.70m**

Framax steel closure plate 5cm 1.35m

Framax steel closure plate 5cm 3.30m

Framax-Stahlausgleich

14.0 588273000

7.9 588272000

17.2 588274000

Powder-coated, blue

**Dokamatic lifting strap 13.00m**

Dokamatic-Umsetzgurt 13,00m

10.5 586231000

Green  
Follow the directions in the "Operating Instructions"!**Framax fitting timber 2x12cm 2.70m**

Framax fitting timber 3x12cm 2.70m

Framax fitting timber 5x12cm 2.70m

Framax fitting timber 10x12cm 2.70m

Framax fitting timber 2x12cm 3.30m

Framax fitting timber 3x12cm 3.30m

Framax fitting timber 5x12cm 3.30m

Framax fitting timber 10x12cm 3.30m

Framax-Passholz

3.1 176020000

4.7 176022000

7.8 176024000

15.5 176026000

3.8 176021000

5.7 176023000

9.5 176025000

19.0 176027000

Varnished yellow

**Connecting timber**

Anklemmholz

0.70 176030000

Varnished yellow

Width: 10 cm

**Framax triangular ledge 2.70m**

Framax-Dreikantleiste 2,70m

0.38 588170000

**Framax moulded timber 27mm 2.70m**

Framax moulded timber 21mm 2.70m

Framax moulded timber 18mm 2.70m

Framax moulded timber 27mm 3.30m

Framax moulded timber 21mm 3.30m

Framax moulded timber 18mm 3.30m

Framax-Profilholz

7.6 176012000

8.0 176010000


8.4 176119000

9.3 176013000

9.8 176011000

10.2 176120000

Varnished yellow

**Framax frontal triangular ledge 2.70m**

Framax-Stirndreikantleiste 2,70m

1.9 588129000

Grey

**Box-out clamp 24cm**

Box-out clamp 25cm

Box-out clamp 30cm

Aussparungsklemme


3.3 580063000

3.4 580064000

3.8 580065000

Galvanised

Leg length: 10 cm

**Framax formwork stripping timb. 10x12cm 2.85m**

Framax formwork stripping timb. 10x12cm 3.45m

Framax-Ausschalholz

16.4 176008000

19.9 176014000

Varnished yellow

**Box-out clamp type 1 ....cm**

Box-out clamp type 2 ....cm


Aussparungsklemme .....cm

13.6 580066000

15.0 580067000

Painted blue

Leg length: 10 cm

**Framax tie-holder bracket**

Framax-Ankerhaltewinkel

1.4 588188000

Painted blue

Width: 9 cm

Height: 13 cm



**Framax foundation clamp 0.90m**

Framax-Fundamentspanner 0,90m

Galvanised

**4.9 588141000****Framax clamping bolt 4-8cm**

Framax-Klemmschraube 4-8cm

Galvanised

Length: 19 cm

**0.39 588107000****Doka perforated tape 50x2.0mm 25m**

Doka-Lochband 50x2,0mm 25m

**17.0 588206000****Universal plug R20/25**

Kombi Ankerstopfen R20/25

Blue

Diameter: 3 cm

**0.003 588180000****Framax plug R24.5**

Framax-Abdeckstopfen R24,5

Yellow

Diameter: 2 cm

**0.003 588181000****Framax 3-in-1 pole tool**


Framax-Montagestange

Galvanised

Length: 193 cm

**4.2 588678000****Double scraper Xlife 100/150mm 1.40m**

Doppelschaber Xlife 100/150mm 1,40m

**2.8 588674000****Wheel-around scaffold DF**

Mobilgerüst DF

Aluminium


Length: 185 cm

Width: 80 cm

Height: 255 cm

Delivery condition: folded closed

Follow the directions in the "Operating Instructions"!

**44.0 586157000****Mobile scaffold tower Z**

Fahrgerüst Z

consisting of:

(A) Attachable frame Z 1.00m

**6.7 586016000**

(B) Attachable frame Z 2.00m

**11.3 586017000**

(C) Railing frame Z 1.00m

**4.1 586021000**

(D) Handrail post Z 1.80m

**6.5 586022000**

(E) Platform Z with manhole flap 1.80m

**17.5 586023000**

(F) Platform Z without manhole flap 1.80m

**17.0 586024000**

(G) End toe-board Z 1.35m

**4.0 586025000**

(H) Side toe-board Z 1.80m

**5.1 586026000**

(I) Diagonal brace Z 2.00m

**3.0 586027000**

(J) Horizontal brace Z 1.80m

**2.8 586028000**

(K) Triangular bracket Z

(not illustrated)

**5.3 586029000**

(L) Guide roller Z D200mm

**7.1 586030000**

(M) Step-up rung Z

**2.5 586031000**

(N) Platform diagonal strut Z

(not illustrated)

**2.5 586032000**


(O) Ballast Z

(not illustrated)

**10.0 586033000**

Aluminium

Follow the directions in the "Instructions for assembly and use"!

**Doka personal fall-arrest set**


Doka-Sicherheitsgeschirr

**3.6 583022000**

Follow the directions in the "Operating Instructions"!

**Tie rod system Monotec****Monotec tie 15.0 15-25cm Framax****3.9 588930000****Monotec tie 15.0 25-35cm Framax****4.2 588931000**

Monotec-Anker 15,0 Framax


**Monotec combination nut 15.0 Framax**

Monotec-Kombimutter 15,0 Framax

**5.2 588681000**


Galvanised

Width: 27 cm




**Monotec form-tie nut 15.0 Framax****2.7 588684000**

Monotec-Ankermutter 15,0 Framax

Galvanised  
Width: 19 cm**Monotec ratchet 3/4" SW17****1.6 588933000**


Monotec-Knarre 3/4" SW17

**Monotec sealing plug Framax****0.005 588932000**

Monotec-Dichtstopfen Framax

Yellow  
Diameter: 2.9 cm**Monotec joint plate 0.75m Framax****9.9 588934000**

Monotec-Ausgleichsschiene 0,75m Framax

**Monotec plug****0.003 588935000**

Monotec-Verschlussstopfen

Grey  
Diameter: 2.4 cm**Doka Safety Systems**

You will find working and protection platforms, guardrail systems and access systems in the section headed "Doka Safety Systems".