


	[kg]	Article n°
Framax Xlife panel 1.35x3.30m	259.3	<b>588221500</b>
Framax Xlife panel 0.90x3.30m	154.5	<b>588222500</b>
Framax Xlife panel 0.60x3.30m	114.7	<b>588223500</b>
Framax Xlife panel 0.45x3.30m	97.9	<b>588224500</b>
Framax Xlife panel 0.30x3.30m	78.5	<b>588225500</b>
Framax Xlife panel 1.35x2.70m	210.0	<b>588100500</b>
Framax Xlife panel 0.90x2.70m	126.5	<b>588102500</b>
Framax Xlife panel 0.60x2.70m	91.5	<b>588104500</b>
Framax Xlife panel 0.45x2.70m	77.7	<b>588106500</b>
Framax Xlife panel 0.30x2.70m	61.5	<b>588108500</b>
Framax Xlife panel 1.35x1.35m	106.3	<b>588110500</b>
Framax Xlife panel 0.90x1.35m	68.5	<b>588112500</b>
Framax Xlife panel 0.60x1.35m	50.5	<b>588114500</b>
Framax Xlife panel 0.45x1.35m	41.0	<b>588116500</b>
Framax Xlife panel 0.30x1.35m	31.8	<b>588118500</b>

Galvanised, powder-coated  
Custom sizes on enquiry!




Framax Xlife panel 0.55x3.30m	107.5	<b>588131500</b>
Framax Xlife panel 0.55x2.70m	87.0	<b>588105500</b>
Framax Xlife panel 0.55x1.35m	46.5	<b>588115500</b>

Galvanised, powder-coated  
Corners marked in green


Framax Xlife panel 2.40x2.70m	370.0	<b>588103500</b>
Framax Xlife panel 2.40x3.30m	484.9	<b>588606500</b>

Galvanised




Framax Xlife panel 2.40x1.35m	200.0	<b>588692500</b>
-------------------------------	-------	------------------

Galvanised, powder-coated



Framax Xlife panel 2.70x2.70m	416.0	<b>588109500</b>
Framax Xlife panel 2.70x3.30m	514.2	<b>588608500</b>


Galvanised



	[kg]	Article n°
Framax Xlife universal panel 0.90x3.30m	182.6	<b>588228500</b>
Framax Xlife universal panel 0.90x2.70m	148.0	<b>588122500</b>
Framax Xlife universal panel 0.90x1.35m	79.3	<b>588124500</b>
Framax Xlife universal panel 0.90x0.90m	63.0	<b>588120500</b>

Framax Xlife-Uni-Element


Galvanised, powder-coated  
Corners marked in blue



Framax Xlife universal panel 1.20x2.70m	225.8	<b>588601500</b>
Framax Xlife universal panel 1.20x1.35m	116.7	<b>588603500</b>
Framax Xlife universal panel 1.20x0.90m	91.5	<b>588604500</b>
Framax Xlife universal panel 1.20x3.30m	276.7	<b>588671500</b>

Framax Xlife-Uni-Element

Galvanised, powder-coated  
Corners marked in blue



Framax Xlife universal panel SCC 0.90x2.70m	170.3	<b>588119500</b>
---	-------	------------------

Framax Xlife-Uni-Element SCC 0,90x2,70m

Galvanised, powder-coated



Framax hose to panel coupler SCC	10.0	<b>588121000</b>
----------------------------------	------	------------------

Framax-Spindelaufsatz SCC

Galvanised  
Length: 48 cm  
Diameter: 27 cm



Panel closure tool D125 SCC	18.0	<b>588127000</b>
-----------------------------	------	------------------

Sperrschieber D125 SCC

Galvanised  
Length: 18 cm  
Width: 33 cm  
Height: 27 cm



Framax Xlife inside corner 3.30m	117.9	<b>588229500</b>
Framax Xlife inside corner 2.70m	97.0	<b>588130500</b>
Framax Xlife inside corner 1.35m	51.2	<b>588132500</b>

Framax Xlife-Innenecke


Galvanised, powder-coated



	[kg]	Article n°
<b>Framax outside corner 2.70m</b>	47.0	<b>588126000</b>
<b>Framax outside corner 1.35m</b>	23.5	<b>588128000</b>
<b>Framax outside corner 0.60m</b>	11.1	<b>589319000</b>
<b>Framax outside corner 3.30m</b>	58.0	<b>588227000</b>

Framax-Außenecke


Galvanised



<b>Framax hinged inside corner I galv. 2.70m</b>	105.8	<b>588136500</b>
<b>Framax hinged inside corner I galv. 1.35m</b>	57.2	<b>588137500</b>
<b>Framax hinged inside corner I galv. 3.30m</b>	129.2	<b>588610500</b>

Framax-Scharnierecke I

Galvanised, powder-coated



<b>Framax hinged outside corner A galv. 2.70m</b>	52.8	<b>588942000</b>
<b>Framax hinged outside corner A galv. 1.35m</b>	27.5	<b>588943000</b>

Framax-Scharnierecke A verzinkt

Galvanised, powder-coated



<b>Framax circular forming plate 0.20x2.70m</b>	56.5	<b>588235000</b>
<b>Framax circular forming plate 0.25x2.70m</b>	63.5	<b>588236000</b>
<b>Framax circular forming plate 0.30x2.70m</b>	67.4	<b>588237000</b>
<b>Framax circular forming plate 0.20x1.35m</b>	30.3	<b>588238000</b>
<b>Framax circular forming plate 0.25x1.35m</b>	32.3	<b>588239000</b>
<b>Framax circular forming plate 0.30x1.35m</b>	34.8	<b>588240000</b>

Framax-Bogenblech

Galvanised, powder-coated



<b>Framax steel waling RD 0.40m</b>	8.7	<b>588189000</b>
-------------------------------------	-----	------------------

Framax-Stahlwandriegel RD 0,40m

Painted blue



<b>Framax stripping corner I 2.70m</b>	171.0	<b>588675000</b>
<b>Framax stripping corner I 1.35m</b>	90.0	<b>588614000</b>
<b>Framax stripping corner I 3.30m</b>	209.9	<b>588676000</b>

Framax-Ausschalecke I

Galvanised, powder-coated



<b>Framax stripping spindle I</b>	3.2	<b>588618000</b>
-----------------------------------	-----	------------------

Framax-Ausschalspindel I

Galvanised  
Height: 25 cm



<b>Framax stripping spindle I with ratchet</b>	5.5	<b>588653000</b>
--	-----	------------------

Framax-Ausschalspindel I mit Ratsche

Galvanised  
Height: 24.8 cm



<b>Extension set Framax stripping spindle I</b>	0.89	<b>588947000</b>
---	------	------------------

Erweiterungsset Framax-Ausschalspindel I

Galvanised  
Height: 2.5 cm



<b>Dismantling tool Framax stripping spindle I</b>	4.0	<b>588948000</b>
--	-----	------------------

Lösewerkzeug Framax-Ausschalspindel I

Galvanised  
Height: 27.5 cm



<b>Framax quick acting clamp RU</b>	3.3	<b>588153400</b>
-------------------------------------	-----	------------------

Framax-Schnellspanner RU


Galvanised  
Length: 20 cm



<b>Framax multi function clamp</b>	5.8	<b>588169000</b>
------------------------------------	-----	------------------

Framax-Uni-Spanner


Galvanised  
Length: 40 cm



<b>Framax adjustable clamp</b>	5.3	<b>588168000</b>
--------------------------------	-----	------------------

Framax-Ausgleichsspanner

Galvanised  
Length: 48 cm




<b>Framax stop-end waler tie 15-45cm</b>	15.0	<b>588940000</b>
--	------	------------------

Framax stop-end waler tie 15-75cm

20.6 **588941000**

Framax-Stirnabschalzwinge

Galvanised



<b>Framax universal fixing bolt 10-16cm</b>	0.60	<b>588158000</b>
---	------	------------------

Framax-Universalverbinder 10-16cm

Galvanised  
Length: 26 cm



<b>Framax universal fixing bolt 10-25cm</b>	0.69	<b>583002000</b>
---	------	------------------

Framax-Universalverbinder 10-25cm

Galvanised  
Length: 36 cm





<b>Framax stop-end tie</b>	1.5	<b>588143000</b>
----------------------------	-----	------------------


Framax-Stirmanker


Galvanised  
Length: 29 cm





	[kg]	Article n°
<b>Framax universal waling 0.60m</b>	6.6	<b>588689000</b>
<b>Framax universal waling 0.90m</b>	10.6	<b>588150000</b>
<b>Framax universal waling 1.50m</b>	16.8	<b>588148000</b>
Framax-Klemmschiene		
 Painted blue		


<b>Framax universal corner waling</b>	12.8	<b>588151000</b>
Framax-Eckklemmschiene		
 Painted blue Leg length: 60 cm		


<b>Framax wedge clamp</b>	1.5	<b>588152000</b>
Framax-Spannklemme		
 Galvanised Length: 21 cm		

<b>Framax tensioning wedge R</b>	0.20	<b>588155000</b>
Framax-Spannkeil R		
 Galvanised Height: 11 cm		


<b>Framax wedge bolt RA 7.5</b>	0.34	<b>588159000</b>
Framax-Keilbolzen RA 7,5		
 Galvanised Length: 15 cm		

<b>Framax head anchor 15-40cm</b>	4.2	<b>588969000</b>
Length: 72 - 81 cm		
<b>Framax head anchor 15-100cm</b>	6.1	<b>588970000</b>
Length: 131 - 141 cm		
Framax-Kopfanker		
 Galvanised, powder-coated		

<b>Framax floor fixing plate</b>	0.87	<b>588628000</b>
Framax-Bodenhalter		
 Galvanised Length: 17.6 cm Width: 7.7 cm Height: 8.5 cm		

<b>Wall-formwork support angle</b>	6.6	<b>588967000</b>
Aufgewinkel Wandschalung		
 Galvanised Length: 15.8 cm Width: 12 cm Height: 11.2 cm		


<b>Panel strut 340 IB</b>	24.3	<b>580365000</b>
Elementstütze 340 IB		
consisting of:		
(A) <b>Plumbing strut 340 IB</b>	16.7	<b>588696000</b>
Galvanised Length: 190.8 - 341.8 cm		
(B) <b>Adjusting strut 120 IB</b>	7.6	<b>588248500</b>
Galvanised Length: 81.5 - 130.6 cm		



Galvanised  
Delivery condition: folded closed


	[kg]	Article n°
<b>Panel strut 540 IB</b>	41.4	<b>580366000</b>
Elementstütze 540 IB		
consisting of:		
(A) <b>Plumbing strut 540 IB</b>	30.7	<b>588697000</b>
Galvanised Length: 310.5 - 549.2 cm		
(B) <b>Adjusting strut 220 IB</b>	10.9	<b>588251500</b>
Galvanised Length: 172.5 - 221.1 cm		

Galvanised  
Delivery condition: folded closed



<b>Eurex 60 550</b>		
Eurex 60 550		
depending on length, comprising:		
(A) <b>Plumbing strut Eurex 60 550</b>	42.5	<b>582658000</b>
Powder-coated, blue Aluminium Length: 343 - 553 cm		
(B) <b>Extension Eurex 60 2.00m</b>	21.3	<b>582651000</b>
Powder-coated, blue Aluminium Length: 250 cm		
(C) <b>Coupler Eurex 60</b>	8.6	<b>582652000</b>
Aluminium Length: 100 cm Diameter: 12.8 cm		
(D) <b>Connector Eurex 60 IB</b>	4.2	<b>582657500</b>
Galvanised Length: 15 cm Width: 15 cm Height: 30 cm		
(E) <b>Plumbing strut shoe Eurex 60 EB</b>	8.0	<b>582660500</b>
Galvanised Length: 31 cm Width: 12 cm Height: 33 cm		
(F) <b>Adjusting strut 540 Eurex 60 IB</b>	27.8	<b>582659500</b>
Galvanised Length: 303.5 - 542.2 cm		


Delivery condition: separate parts





<b>Prop head EB</b>	3.1	<b>588244500</b>
Stützenkopf EB		





Galvanised  
Length: 40.8 cm  
Width: 11.8 cm  
Height: 17.6 cm


	[kg]	Article n°
<b>Universal dismantling tool</b> Universal-Lösewerkzeug	3.7	<b>582768000</b>
	Galvanised Length: 75.5 cm	


<b>Doka express anchor 16x125mm</b> Doka-Expressanker 16x125mm	0.31	<b>588631000</b>
	Galvanised Length: 18 cm Follow fitting instructions!	


<b>Doka coil 16mm</b> Doka-Coil 16mm	0.009	<b>588633000</b>
	Galvanised Diameter: 1.6 cm	


<b>Gauge for Doka express anchor 16x125mm</b> Lehre Doka-Expressanker 16x125mm	0.03	<b>588632000</b>
	Black Length: 3 cm Diameter: 2 cm	


<b>Framax bracket 90</b> Framax-Konsole 90	12.5	<b>588167000</b>
	Galvanised Width: 103 cm Height: 185 cm Delivery condition: railing included	


<b>Scaffold tube connection</b> Gerüstrohranschluss	0.27	<b>584375000</b>
	Galvanised Height: 7 cm	


<b>Scaffold tube 48.3mm 0.50m</b>	1.7	<b>682026000</b>
<b>Scaffold tube 48.3mm 1.00m</b>	3.6	<b>682014000</b>
<b>Scaffold tube 48.3mm 1.50m</b>	5.4	<b>682015000</b>
<b>Scaffold tube 48.3mm 2.00m</b>	7.2	<b>682016000</b>
<b>Scaffold tube 48.3mm 2.50m</b>	9.0	<b>682017000</b>
<b>Scaffold tube 48.3mm 3.00m</b>	10.8	<b>682018000</b>
<b>Scaffold tube 48.3mm 3.50m</b>	12.6	<b>682019000</b>
<b>Scaffold tube 48.3mm 4.00m</b>	14.4	<b>682021000</b>
<b>Scaffold tube 48.3mm 4.50m</b>	16.2	<b>682022000</b>
<b>Scaffold tube 48.3mm 5.00m</b>	18.0	<b>682023000</b>
<b>Scaffold tube 48.3mm 5.50m</b>	19.8	<b>682024000</b>
<b>Scaffold tube 48.3mm 6.00m</b>	21.6	<b>682025000</b>
<b>Scaffold tube 48.3mm .....m</b>	3.6	<b>682001000</b>
Gerüstrohr 48,3mm		
	Galvanised	


<b>Screw-on coupler 48mm 50</b> Anschraubkupplung 48mm 50	0.84	<b>682002000</b>
	Galvanised Width-across: 22 mm Follow fitting instructions!	


	[kg]	Article n°
<b>Framax pouring platform O 1.25/2.70m</b> Framax-Betonierbühne O 1,25/2,70m	117.0	<b>588360000</b>
	Timber parts varnished yellow Steel parts galvanised Delivery condition: folded closed	


<b>Framax pouring platform U 1.25/2.70m</b> Framax-Betonierbühne U 1,25/2,70m	127.5	<b>588377000</b>
	Steel parts galvanised Timber parts varnished yellow Delivery condition: folded closed	

<b>Xsafe plus lifting adapter Framax</b> Xsafe plus-Umsetzadapter Framax	6.6	<b>586436000</b>
	Galvanised Height: 51.4 cm	

<b>Framax adapter XP</b> Framax-Adapter XP	8.0	<b>586475000</b>
	Galvanised Height: 56 cm	


<b>Railing clamp XP 40cm</b> Geländerzwinge XP 40cm	7.7	<b>586456000</b>
	Galvanised Height: 73 cm	

<b>Handrail post XP 1.20m</b> Geländersteher XP 1,20m	4.1	<b>586460000</b>
	Galvanised Height: 118 cm	

<b>Toeboard holder XP 1.20m</b> Fußwehrhalter XP 1,20m	0.64	<b>586461000</b>
	Galvanised Height: 21 cm	

	[kg]	Article n°
<b>Protective grating XP 2.70x1.20m</b>	22.2	<b>586450000</b>
<b>Protective grating XP 2.50x1.20m</b>	20.5	<b>586451000</b>
<b>Protective grating XP 2.00x1.20m</b>	17.4	<b>586452000</b>
<b>Protective grating XP 1.20x1.20m</b>	12.0	<b>586453000</b>

Galvanised



<b>Velcro fastener 30x380mm</b>	0.02	<b>586470000</b>
---------------------------------	------	------------------

Klettverschluss 30x380mm

Yellow



<b>Handrail clamp S</b>	11.5	<b>580470000</b>
-------------------------	------	------------------

Schutzgelanderrzwinge S

Galvanised

Height: 123 - 171 cm



<b>Handrail post 1.10m</b>	5.5	<b>584384000</b>
----------------------------	-----	------------------

Schutzgelanderr 1,10m

Galvanised

Height: 134 cm




<b>Side handrail clamping unit T</b>	29.1	<b>580488000</b>
--------------------------------------	------	------------------

Seitenschutzgelanderr T

Galvanised

Length: 115 - 175 cm

Height: 112 cm



<b>Framax lifting hook</b>	10.6	<b>588149000</b>
----------------------------	------	------------------

Framax-Umsetzbügel

Galvanised

Height: 22 cm

Follow the directions in the "Operating Instructions"!




<b>Framax lifting hook 20kN</b>	12.8	<b>588526000</b>
---------------------------------	------	------------------

Framax-Umsetzbügel 20kN

Galvanised

Height: 30 cm

Follow the directions in the "Operating Instructions"!



<b>Framax stacking cone</b>	0.02	<b>588234000</b>
-----------------------------	------	------------------

Framax-Stapelkonus

Blue

Diameter: 2 cm



<b>Doka 4-part chain 3.20m</b>	15.0	<b>588620000</b>
--------------------------------	------	------------------

Doka-Vierstrangkette 3,20m

Follow the directions in the "Operating Instructions"!



<b>Framax transport bolt</b>	1.9	<b>588621000</b>
------------------------------	-----	------------------

Framax-Transportbolzen

Follow the directions in the "Operating Instructions"!



<b>Framax transport gear</b>	13.3	<b>588232000</b>
------------------------------	------	------------------

Framax-Transportgehänge

Galvanised

Follow the directions in the "Operating Instructions"!



<b>Dokamatic lifting strap 13.00m</b>	10.5	<b>586231000</b>
---------------------------------------	------	------------------

Dokamatic-Umsetzgurt 13,00m

Green

Follow the directions in the "Operating Instructions"!



<b>Framax fitting timber 2x12cm 2.70m</b>	3.1	<b>176020000</b>
---	-----	------------------

<b>Framax fitting timber 3x12cm 2.70m</b>	4.7	<b>176022000</b>
---	-----	------------------

<b>Framax fitting timber 5x12cm 2.70m</b>	7.8	<b>176024000</b>
---	-----	------------------

<b>Framax fitting timber 10x12cm 2.70m</b>	15.5	<b>176026000</b>
--	------	------------------

<b>Framax fitting timber 2x12cm 3.30m</b>	3.8	<b>176021000</b>
---	-----	------------------

<b>Framax fitting timber 3x12cm 3.30m</b>	5.7	<b>176023000</b>
---	-----	------------------

<b>Framax fitting timber 5x12cm 3.30m</b>	9.5	<b>176025000</b>
---	-----	------------------

<b>Framax fitting timber 10x12cm 3.30m</b>	19.0	<b>176027000</b>
--	------	------------------

Framax-Passholz

Varnished yellow



<b>Framax moulded timber 27mm 2.70m</b>	7.6	<b>176012000</b>
---	-----	------------------

<b>Framax moulded timber 21mm 2.70m</b>	8.0	<b>176010000</b>
---	-----	------------------

<b>Framax moulded timber 18mm 2.70m</b>	8.4	<b>176119000</b>
---	-----	------------------

<b>Framax moulded timber 27mm 3.30m</b>	9.3	<b>176013000</b>
---	-----	------------------

<b>Framax moulded timber 21mm 3.30m</b>	9.8	<b>176011000</b>
---	-----	------------------

<b>Framax moulded timber 18mm 3.30m</b>	10.2	<b>176120000</b>
---	------	------------------

Framax-Profilholz

Varnished yellow



<b>Framax formwork stripping timb. 10x12cm 2.85m</b>	16.4	<b>176008000</b>
--	------	------------------

<b>Framax formwork stripping timb. 10x12cm 3.45m</b>	19.9	<b>176014000</b>
--	------	------------------

Framax-Ausschalholz

Varnished yellow



	[kg]	Article n°
<b>Framax steel closure plate 5cm 2.70m</b>	14.0	<b>588273000</b>
<b>Framax steel closure plate 5cm 1.35m</b>	7.9	<b>588272000</b>
<b>Framax steel closure plate 5cm 3.30m</b>	17.2	<b>588274000</b>
Framax-Stahlausgleich		

Powder-coated, blue



<b>Framax alu closure 10cm 3.30m</b>	12.9	<b>589229000</b>
<b>Framax alu closure 10cm 2.70m</b>	11.0	<b>589227000</b>
<b>Framax alu closure 10cm 1.35m</b>	5.7	<b>589225000</b>
<b>Framax alu closure 5cm 3.30m</b>	10.5	<b>589228000</b>
<b>Framax alu closure 5cm 2.70m</b>	8.5	<b>589226000</b>
<b>Framax alu closure 5cm 1.35m</b>	4.4	<b>589224000</b>
Framax-Alu-Ausgleich		

Powder-coated



<b>Connecting timber</b>	0.70	<b>176030000</b>
Anklemmholz		

Varnished yellow  
Width: 10 cm



<b>Framax triangular ledge 2.70m</b>	0.38	<b>588170000</b>
Framax-Dreikantleiste 2,70m		



<b>Framax frontal triangular ledge 2.70m</b>	1.7	<b>588129000</b>
Framax-Stirndreikantleiste 2,70m		

Grey




<b>Framax frontal triangular ledge 3.30m</b>	2.0	<b>588949000</b>
Framax-Stirndreikantleiste 3,30m		

Grey




<b>Box-out clamp 24cm</b>	3.3	<b>580063000</b>
<b>Box-out clamp 25cm</b>	3.4	<b>580064000</b>
<b>Box-out clamp 30cm</b>	3.8	<b>580065000</b>
Aussparungsklemme		

Galvanised  
Leg length: 10 cm



	[kg]	Article n°
<b>Box-out clamp type 1 .....cm</b>	20.0	<b>580066000</b>
<b>Box-out clamp type 2 .....cm</b>	17.4	<b>580067000</b>
Aussparungsklemme .....cm		

Painted blue  
Leg length: 10 cm



<b>Framax tie-holder bracket</b>	1.4	<b>588188000</b>
Framax-Ankerhaltewinkel		

Painted blue  
Width: 9 cm  
Height: 13 cm



<b>Framax foundation clamp 0.90m</b>	4.9	<b>588141000</b>
Framax-Fundamentspanner 0,90m		

Galvanised



<b>Framax clamping bolt 4-8cm</b>	0.39	<b>588107000</b>
Framax-Klemmschraube 4-8cm		

Galvanised  
Length: 19 cm



<b>Doka perforated tape 50x2.0mm 25m</b>	17.0	<b>588206000</b>
Doka-Lochband 50x2,0mm 25m		



<b>Universal plug R20/25</b>	0.003	<b>588180000</b>
Kombi-Ankerstopfen R20/25		

Blue  
Diameter: 3 cm




<b>Framax plug R24.5</b>	0.003	<b>588181000</b>
Framax-Abdeckstopfen R24,5		

Yellow  
Diameter: 2 cm




<b>Framax 3-in-1 pole tool</b>	4.2	<b>588678000</b>
Framax-Montagestange		

Galvanised  
Length: 193 cm





<b>Double scraper Xlife 100/150mm 1.40m</b>	2.8	<b>588674000</b>
Doppelschaber Xlife 100/150mm 1,40m		




<b>Wheel-around scaffold DF</b>	44.0	<b>586157000</b>
Mobilgerüst DF		

Aluminium  
Length: 185 cm  
Width: 80 cm  
Height: 255 cm  
Delivery condition: folded closed



	[kg]	Article n°
<b>Wheel-around scaffold DF accessory set</b> Zubehörset Mobilgerüst DF	13.3	<b>586164000</b>
 Aluminium Timber parts varnished yellow Length: 189 cm		

<b>Doka personal fall-arrest set</b> Doka-Auffanggurt	3.6	<b>583022000</b>	
 Follow the directions in the "Operating Instructions"!			<b>CE</b>


## Tie rod system Monotec

<b>Monotec tie 15.0 B 15-25cm Framax</b> Length: 77 cm	3.9	<b>588930500</b>
---	-----	------------------

<b>Monotec tie 15.0 B 25-35cm Framax</b> Length: 87 cm Monotec-Anker 15,0 B Framax	4.1	<b>588931500</b>
--	-----	------------------




<b>Monotec tie 15.0 25-35cm Framax</b> Monotec-Anker 15,0 Framax	4.2	<b>588931000</b>
---	-----	------------------




<b>Monotec combination nut 15.0 Framax</b> Monotec-Kombimutter 15,0 Framax	5.2	<b>588681000</b>
---	-----	------------------




<b>Monotec form-tie nut 15.0 Framax</b> Monotec-Ankermutter 15,0 Framax	2.7	<b>588684000</b>
--	-----	------------------



<b>Monotec ratchet 3/4" SW17</b> Monotec-Knarre 3/4" SW17	1.6	<b>588933000</b>
--	-----	------------------



<b>Monotec sealing plug Framax</b> Monotec-Dichtstopfen Framax	0.005	<b>588932000</b>
---	-------	------------------




<b>Monotec joint plate 0.75m Framax</b> Monotec-Ausgleichsschiene 0,75m Framax	9.9	<b>588934000</b>
---	-----	------------------



	[kg]	Article n°
<b>Monotec combi-plug</b> Monotec-Kombistopfen	0.05	<b>588936000</b>



<b>Monotec plug</b> Monotec-Verschlussstopfen	0.003	<b>588935000</b>
--	-------	------------------



<b>M-Bed moulding mortar</b> M-Bed Quellvergussmörtel	25.0	<b>588938000</b>
--	------	------------------



<b>Backfilling syringe</b> Verfüllspritze	0.58	<b>588939000</b>
--	------	------------------



<b>Framax combination nut 20.0</b> Framax-Kombimutter 20,0	6.1	<b>588683000</b>
---	-----	------------------



<b>Framax form-tie nut 20.0</b> Framax-Ankermutter 20,0	3.6	<b>588687000</b>
--	-----	------------------

