


[kg] Article n°

Framax Xlife panel 1.35x2.70m	210.0	588100500
Framax Xlife panel 0.90x2.70m	126.5	588102500
Framax Xlife panel 0.60x2.70m	91.5	588104500
Framax Xlife panel 0.45x2.70m	77.7	588106500
Framax Xlife panel 0.30x2.70m	61.5	588108500
Framax Xlife panel 1.35x1.35m	106.3	588110500
Framax Xlife panel 0.90x1.35m	68.5	588112500
Framax Xlife panel 0.60x1.35m	50.5	588114500
Framax Xlife panel 0.45x1.35m	41.0	588116500
Framax Xlife panel 0.30x1.35m	31.8	588118500
Framax Xlife panel 1.35x3.30m	259.3	588221500
Framax Xlife panel 0.90x3.30m	154.5	588222500
Framax Xlife panel 0.60x3.30m	114.7	588223500
Framax Xlife panel 0.45x3.30m	97.9	588224500
Framax Xlife panel 0.30x3.30m	78.5	588225500

Framax Xlife-Element

Galvanised, powder-coated
Custom sizes on enquiry!

Framax Xlife panel 0.55x2.70m	87.0	588105500
Framax Xlife panel 0.55x1.35m	46.5	588115500
Framax Xlife panel 0.55x3.30m	107.5	588131500


Framax Xlife-Element

Galvanised, powder-coated
Corners marked in grey

Framax Xlife panel 2.40x2.70m	370.0	588103500
-------------------------------	-------	-----------

Framax Xlife-Element 2,40x2,70m


Galvanised



Framax Xlife panel 2.40x3.30m	484.9	588606500
-------------------------------	-------	-----------

Framax Xlife-Element 2,40x3,30m


Galvanised



Framax Xlife panel 2.70x2.70m	416.0	588109500
-------------------------------	-------	-----------

Framax Xlife-Element 2,70x2,70m


Galvanised



Framax Xlife panel 2.70x3.30m	514.2	588608500
-------------------------------	-------	-----------


Framax Xlife-Element 2,70x3,30m

Galvanised




Framax Xlife universal panel 0.90x2.70m	148.0	588122500
Framax Xlife universal panel 0.90x1.35m	79.3	588124500
Framax Xlife universal panel 0.90x0.90m	63.0	588120500
Framax Xlife universal panel 0.90x3.30m	182.6	588228500

Framax Xlife-Uni-Element

Galvanised, powder-coated
Corners marked in blue

Framax Xlife universal panel 1.20x2.70m	225.8	588601500
Framax Xlife universal panel 1.20x1.35m	116.7	588603500
Framax Xlife universal panel 1.20x0.90m	91.5	588604500
Framax Xlife universal panel 1.20x3.30m	276.7	588671500

Framax Xlife-Uni-Element

Galvanised, powder-coated
Corners marked in blue

[kg] Article n°

Framax Xlife universal panel SCC 0.90x2.70m 170.3 588119500

Framax Xlife-Uni-Element SCC 0,90x2,70m

Galvanised, powder-coated


**Framax hose to panel coupler SCC** 10.0 588121000

Framax-Spindelaufsatz SCC

Galvanised

Length: 48 cm

Diameter: 27 cm

**Panel closure tool D125 SCC** 18.0 588127000


Sperrschieber D125 SCC

Galvanised

Length: 18 cm


Width: 33 cm

Height: 27 cm

**Framax Xlife inside corner 2.70m** 97.0 588130500**Framax Xlife inside corner 1.35m** 51.2 588132500**Framax Xlife inside corner 3.30m** 117.9 588229500


Framax Xlife-Innenecke

Galvanised, powder-coated

**Framax outside corner 2.70m** 47.0 588126000**Framax outside corner 1.35m** 23.5 588128000**Framax outside corner 3.30m** 58.0 588227000


Framax-Außenecke

Galvanised

**Framax hinged inside corner I 2.70m** 102.3 588136000**Framax hinged inside corner I 1.35m** 55.4 588137000**Framax hinged inside corner I 3.30m** 125.5 588610000


Framax-Scharnierecke I

Powder-coated, blue

**Framax hinged outside corner A 2.70m** 52.8 588134000**Framax hinged outside corner A 1.35m** 27.4 588135000

Framax-Scharnierecke A


Powder-coated, blue

**Framax closure plate R30 2.70m** 43.0 588140000**Framax closure plate R30 1.35m** 21.4 588142000**Framax closure plate R30 0.90m** 14.4 588144000

Framax-Ausgleichsblech R30


Powder-coated, blue

Width: 38 cm

**Framax circular forming plate 0.20x2.70m** 56.5 588235000**Framax circular forming plate 0.25x2.70m** 63.5 588236000**Framax circular forming plate 0.30x2.70m** 67.4 588237000**Framax circular forming plate 0.20x1.35m** 30.3 588238000**Framax circular forming plate 0.25x1.35m** 32.3 588239000**Framax circular forming plate 0.30x1.35m** 34.8 588240000


Framax-Bogenblech

Galvanised, powder-coated

**Framax steel waling RD 0.40m** 8.7 588189000

Framax-Stahlwandriegel RD 0,40m


Painted blue



[kg] Article n°

Framax stripping corner I 2.70m	171.0	588675000
Framax stripping corner I 1.35m	90.0	588614000
Framax stripping corner I 3.30m	209.9	588676000
Framax-Ausschalecke I		

Galvanised, powder-coated




Framax stripping spindle I	3.2	588618000
Framax-Ausschalspindel I		

Galvanised
Height: 25 cm


Framax stripping spindle I with ratchet	5.5	588653000
Framax-Ausschalspindel I mit Ratsche		

Galvanised
Height: 24.8 cm


Framax quick acting clamp RU	3.3	588153400
Framax-Schnellspanner RU		

Galvanised
Length: 20 cm


Framax multi function clamp	5.8	588169000
Framax-Uni-Spanner		

Galvanised
Length: 40 cm


Framax adjustable clamp	5.3	588168000
Framax-Ausgleichsspanner		

Galvanised
Length: 48 cm

Framax universal fixing bolt 10-16cm	0.60	588158000
Framax-Universalverbinder 10-16cm		


Galvanised
Length: 26 cm

Framax universal fixing bolt 10-25cm	0.69	583002000
Framax-Universalverbinder 10-25cm		

Galvanised
Length: 36 cm

[kg] Article n°

Framax stop-end tie	1.5	588143000
Framax-Stirnanker		

Galvanised
Length: 29 cm


Framax pressure plate 6/15	0.80	588183000
Framax-Druckplatte 6/15		

Galvanised




Framax universal waling 0.90m	10.6	588150000
Framax universal waling 1.50m	16.8	588148000
Framax-Klemmschiene		


Painted blue



Framax universal corner waling	12.8	588151000
Framax-Eckklemmschiene		

Painted blue
Leg length: 60 cm


Framax wedge clamp	1.5	588152000
Framax-Spannklemme		

Galvanised
Length: 21 cm

Framax tensioning wedge R	0.20	588155000
Framax-Spannkeil R		

Galvanised
Height: 11 cm

Framax wedge bolt RA 7.5	0.34	588159000
Framax-Keilbolzen RA 7,5		

Galvanised
Length: 15 cm

[kg] Article n°

[kg] Article n°

Panel strut 340

Elementstütze 340

consisting of:

(A) Prop head

2 pcs.

Galvanised

Length: 40.8 cm

Width: 11.8 cm

Height: 17.6 cm

(B) Prop shoe

Galvanised

Length: 20 cm

Width: 11 cm

Height: 10 cm

(C) Plumbing strut 340

Galvanised

Length: 190 - 341 cm

(D) Adjusting strut 120

Galvanised

Length: 80 - 130 cm

30.2 588246000

3.5 588244000


2.1 588245000

14.2 588247000

7.2 588248000

Galvanised

Delivery condition: folded closed

**Panel strut 540**

Elementstütze 540

consisting of:

(A) Prop head

2 pcs.

Galvanised

Length: 40.8 cm

Width: 11.8 cm

Height: 17.6 cm

(B) Prop shoe

Galvanised

Length: 20 cm

Width: 11 cm

Height: 10 cm

(C) Plumbing strut 540

Galvanised

Length: 309 - 550 cm

(D) Adjusting strut 220

Length: 171 - 224 cm

49.0 588249000

3.5 588244000


2.1 588245000

29.6 588250000

10.2 588251000

Galvanised

Delivery condition: folded closed

**Panel strut 340 without prop head**

Elementstütze 340 ohne Stützenkopf

consisting of:

(A) Plumbing strut 340

Galvanised

Length: 190 - 341 cm

(B) Adjusting strut 120

Galvanised

Length: 80 - 130 cm

(C) Prop shoe

Galvanised

Length: 20 cm

Width: 11 cm

Height: 10 cm

24.0 580365000


14.2 588247000

7.2 588248000

2.1 588245000

Galvanised

Delivery condition: folded closed

**Panel strut 540 without prop head**

Elementstütze 540 ohne Stützenkopf

consisting of:

(A) Plumbing strut 540

Galvanised

Length: 309 - 550 cm

(B) Adjusting strut 220

Length: 171 - 224 cm

(C) Prop shoe

Galvanised

Length: 20 cm

Width: 11 cm

Height: 10 cm

42.2 580366000


29.6 588250000

10.2 588251000

2.1 588245000

Galvanised

Delivery condition: folded closed


**Universal dismantling tool**

Universal-Lösewerkzeug

Galvanised

Length: 75.5 cm

3.7 582768000




Eurex 60 550

Eurex 60 550

depending on length, comprising:

(A) Plumbing strut Eurex 60 550	42.5 582658000
Powder-coated, blue Aluminium Length: 343 - 553 cm	
(B) Extension Eurex 60 2.00m	21.3 582651000
Powder-coated, blue Aluminium Length: 250 cm	
(C) Coupler Eurex 60	8.6 582652000
Aluminium Length: 100 cm Diameter: 12.8 cm	
(D) Connector Eurex 60	3.9 582657000
Galvanised Length: 15 cm Width: 15 cm Height: 30 cm	
(E) Plumbing strut shoe Eurex 60	8.5 582660000
Galvanised Length: 31 cm Width: 12 cm Height: 33 cm	
(F) Adjusting strut 540 Eurex 60	29.0 582659000
Galvanised Length: 302 - 543 cm	
(G) Prop head	3.5 588244000
2 pcs. Galvanised Length: 40.8 cm Width: 11.8 cm Height: 17.6 cm	


Delivery condition: separate parts

**Doka coil 16mm**

Doka-Coil 16mm

0.009 588633000Galvanised
Diameter: 1.6 cm**Framax bracket 90**


Framax-Konsole 90

12.5 588167000Galvanised
Width: 103 cm
Height: 185 cm
Delivery condition: railing included**Scaffold tube connection**

Gerüstrohranschluss

0.27 584375000Galvanised
Height: 7 cm

Scaffold tube 48.3mm 1.00m	3.6 682014000
Scaffold tube 48.3mm 1.50m	5.4 682015000
Scaffold tube 48.3mm 2.00m	7.2 682016000
Scaffold tube 48.3mm 2.50m	9.0 682017000
Scaffold tube 48.3mm 3.00m	10.8 682018000
Scaffold tube 48.3mm 3.50m	12.6 682019000
Scaffold tube 48.3mm 4.00m	14.4 682021000
Scaffold tube 48.3mm 4.50m	16.2 682022000
Scaffold tube 48.3mm 5.00m	18.0 682023000
Scaffold tube 48.3mm 5.50m	19.8 682024000
Scaffold tube 48.3mm 6.00m	21.6 682025000
Scaffold tube 48.3mmm	3.6 682001000
Gerüstrohr 48,3mm	




Galvanised

Screw-on coupler 48mm 50


Anschraubkupplung 48mm 50

0.84 682002000Galvanised
Width-across: 22 mm**Framax pouring platform O 1.25/2.70m**

Framax-Betonierbühne O 1,25/2,70m

117.0 588360000Timber parts varnished yellow
Steel parts galvanised
Delivery condition: folded closed**Doka express anchor 16x125mm**


Doka-Expressanker 16x125mm

0.31 588631000Galvanised
Length: 18 cm
Follow fitting instructions!

Framax pouring platform U 1.25/2.70m**127.5 588377000**


Framax-Betonierbühne U 1,25/2,70m

Steel parts galvanised
 Timber parts varnished yellow
 Delivery condition: folded closed

**Side handrail clamping unit T****29.1 580488000**


Seitenschutzgeländer T

Galvanised
 Length: 115 - 175 cm
 Height: 112 cm

**Framax lifting hook****10.6 588149000**

Framax-Umsetzbügel

Galvanised
 Height: 22 cm
 Follow the directions in the "Operating Instructions"!

**Framax stacking cone****0.02 588234000**


Framax-Stapelkonus

Blue
 Diameter: 2 cm

**Doka 4-part chain 3.20m****15.0 588620000**

Doka-Vierstrangkette 3,20m

Follow the directions in the "Operating Instructions"!

**Framax transport bolt 5kN****1.9 588621000**


Framax-Transportbolzen 5kN

Follow the directions in the "Operating Instructions"!

**Framax transport gear****13.3 588232000**

Framax-Transportgehänge

Galvanised
 Follow the directions in the "Operating Instructions"!

**Dokamatic lifting strap 13.00m****10.5 586231000**


Dokamatic-Umsetzgurt 13,00m

Green
 Follow the directions in the "Operating Instructions"!

**Fix-De-Fix remote uncoupling system 3150kg****27.0 586014000**

Abhängeautomat Fix-De-Fix 3150kg

Follow the directions in the "Operating Instructions"!

**Framax fitting timber 2x12cm 2.70m****3.1 176020000****Framax fitting timber 3x12cm 2.70m****4.7 176022000****Framax fitting timber 5x12cm 2.70m****7.8 176024000****Framax fitting timber 10x12cm 2.70m****15.5 176026000****Framax fitting timber 2x12cm 3.30m****3.8 176021000****Framax fitting timber 3x12cm 3.30m****5.7 176023000****Framax fitting timber 5x12cm 3.30m****9.5 176025000****Framax fitting timber 10x12cm 3.30m****19.0 176027000**

Framax-Passholz

Varnished yellow

**Framax moulded timber 27mm 2.70m****7.6 176012000****Framax moulded timber 21mm 2.70m****8.0 176010000****Framax moulded timber 18mm 2.70m****8.4 176119000****Framax moulded timber 27mm 3.30m****9.3 176013000****Framax moulded timber 21mm 3.30m****9.8 176011000****Framax moulded timber 18mm 3.30m****10.2 176120000**

Framax-Profilholz

Varnished yellow

**Framax formwork stripping timb. 10x12cm 2.85m****16.4 176008000****Framax formwork stripping timb. 10x12cm 3.45m****19.9 176014000**

Framax-Ausschalholz

Varnished yellow



[kg] Article n°

Framax steel closure plate 5cm 2.70m 14.0 588273000
Framax steel closure plate 5cm 1.35m 7.9 588272000
Framax steel closure plate 5cm 3.30m 17.2 588274000
 Framax-Stahlausgleich

Powder-coated, blue



Connecting timber 0.70 176030000
 Anklemmholz

Varnished yellow
Width: 10 cm



Framax triangular ledge 2.70m 0.38 588170000
 Framax-Dreikantleiste 2,70m



Framax frontal triangular ledge 2.70m 1.9 588129000
 Framax-Stirndreikantleiste 2,70m

Grey



Framax anchoring bracket 1.4 588188000
 Framax-Ankerhaltewinkel

Painted blue
Width: 9 cm
Height: 13 cm



Framax foundation clamp 0.90m 4.9 588141000
 Framax-Fundamentspanner 0,90m

Galvanised



Framax clamping bolt 4-8cm 0.39 588107000
 Framax-Klemmschraube 4-8cm

Galvanised
Length: 19 cm



Doka perforated tape 50x2.0mm 25m 17.0 588206000
 Doka-Lochband 50x2,0mm 25m



Universal plug R20/25 0.003 588180000
 Kombi Ankerstopfen R20/25

Blue
Diameter: 3 cm



Framax plug R24.5 0.003 588181000
 Framax-Abdeckstopfen R24,5

Yellow
Diameter: 2 cm




Plug for closure plate R25 0.003 588187000
 Ausgleichsblechstopfen R25

Black
Diameter: 3 cm




Framax 3-in-1 pole tool 4.2 588678000
 Framax-Montagestange

Galvanised
Length: 193 cm




Double scraper Xlife 100/150mm 1.40m 2.8 588674000
 Doppelschaber Xlife 100/150mm 1,40m



Wheel-around scaffold DF 44.0 586157000
 Mobilgerüst DF

Aluminium
Length: 195 cm
Width: 80 cm
Height: 290 cm
Follow the directions in the "Operating Instructions"!



Doka mobile scaffold tower Z


Doka-Fahrgerüst Z

consisting of:

(A) Attachable frame Z 1.00m	6.7	586016000
(B) Attachable frame Z 2.00m	11.3	586017000
(C) Railing frame Z 1.00m	4.1	586021000
(D) Handrail post Z 1.80m	6.5	586022000
(E) Platform Z with manhole flap 1.80m	17.5	586023000
(F) Platform Z without manhole flap 1.80m	17.0	586024000
(G) End toe-board Z 1.35m	4.0	586025000
(H) Side toe-board Z 1.80m	5.1	586026000
(I) Diagonal brace Z 2.00m	3.0	586027000
(J) Horizontal brace Z 1.80m	2.8	586028000
(K) Triangular bracket Z (not illustrated)	5.3	586029000
(L) Guide roller Z D200mm	7.1	586030000
(M) Step-up rung Z	2.5	586031000
(N) Platform diagonal strut Z (not illustrated)	2.5	586032000
(O) Ballast Z (not illustrated)	10.0	586033000

Aluminium

Follow the directions in the "Instructions for assembly and use"!

**Doka stacking pallet 1.55x0.85m**


Doka-Stapelpalette 1,55x0,85m

42.0 586151000

Galvanised

Height: 77 cm

Follow the directions in the "Operating Instructions"!

**Doka stacking pallet 1.20x0.80m**


Doka-Stapelpalette 1,20x0,80m

39.5 583016000

Galvanised

Height: 77 cm

Follow the directions in the "Operating Instructions"!

**Doka accessory box**

Doka-Kleinteilebox

106.4 583010000

Timber parts varnished yellow


Steel parts galvanised

Length: 154 cm

Width: 83 cm

Height: 77 cm


Follow the directions in the "Operating Instructions"!

**Bolt-on castor set B**

Anklemm-Radsatz B

33.6 586168000

Painted blue


**Tying from one side only****Framax combination nut 15.0**

Framax-Kombimutter 15,0

5.2 588681000

Galvanised

Width: 27 cm


**Framax anchor nut 15.0**

Framax-Ankermutter 15,0

2.7 588684000

Galvanised

Width: 19 cm


**Framax combination nut 20.0**

Framax-Kombimutter 20,0

6.1 588683000

Galvanised

Width: 27 cm


**Framax anchor nut 20.0**

Framax-Ankermutter 20,0

3.6 588687000

Galvanised

Width: 19 cm

**Doka Safety Systems**

You will find working and protection platforms, guardrail systems and access systems in the section headed "Doka Safety Systems".