

[kg] Article n°


[kg] Article n°

Horizontal profile MF with handrail post

Horizontalprofil MF mit Geländer

88.5 581618000

Galvanised
Length: 251 cm
Height: 155 cm




Pressure spindle MF240

Druckspindel MF240

26.0 580680000

Galvanised
Height: 166 - 226 cm




Vertical profile MF80

Vertikalprofil MF80

44.0 580652000

Galvanised
Height: 213 cm




Travelling gear MF

Fahrwerk MF

32.3 580656000

Galvanised
Length: 128 cm
Height: 22 cm




Vertical profile MF160

Vertikalprofil MF160

116.0 580660000

Galvanised
Height: 208 cm




Plumbing spindle MF 3.00m

Einrichtungspindel MF 3,00m

23.0 580657000

Length: 166-229 cm




Pressure strut MF long

Druckstrebe MF lang

24.7 580653000

Galvanised
Length: 252.9 cm



Plumbing spindle MF 4.50m

Einrichtungspindel MF 4,50m

46.0 580664000

Galvanised
Length: 262 - 345 cm




Pressure strut MF short

Druckstrebe MF kurz

17.7 580654000

Galvanised
Length: 183.2 cm



Vertical waling MF 3.00m

Fahrriegel MF 3,00m

76.8 580658000

Galvanised



Vertical waling MF 4.50m

Fahrriegel MF 4,50m


123.8 580663000

Galvanised

**Swivel plate MF**

Schwenkplatte MF

4.5 580672000

Galvanised
Length: 29 cm
Height: 20 cm**Brace stirrup 8**

Spannbügel 8

2.7 582751000

Galvanised
Width: 19 cm
Height: 46 cm
Width-across: 30 mm**Safety plate for brace stirrup 8**

Sicherungsblech für Spannbügel 8

0.05 582753000

Powder-coated, red
Length: 23 cm**Vertical waling extension MF**


Fahrriegelverlängerung MF

41.5 580659000

Galvanised
Height: 144 cm**Starter block unit MF**

Grundblockriegel MF


23.2 580678000

Galvanised
Length: 143 cm
Width: 19 cm**Suspension profile MF**

Hängprofil MF

43.0 580668000


Height: 368 cm

**Wind bracing MF/150F/K 6.00m**

Windabspannung MF/150F/K 6,00m

4.7 580665000


Galvanised

**Wind bracing MF 6.00m**

Windabspannung MF 6,00m


4.3 580677000

Galvanised

**Screw-on access bracket MF75**

Anschraubbühne MF75


19.0 580669000

Galvanised
Length: 113 cm
Height: 152 cm**Waling-to-bracket holder 9-15cm**

Riegelhalter 9-15cm


2.7 580625000

Galvanised

**Waling-to-bracket holder**

Keilriegelhalter


2.5 580526000

Galvanised
Length: 26 cm
Height: 31 cm**Distance profile MF**

Distanzprofil MF

7.8 580670000

Length: 71 cm

**Universal railing shackle**

Universal-Geländerbügel

3.0 580478000

Galvanised
Height: 20 cm


[kg] Article n°

[kg] Article n°

Doka 4-part chain 3.20m
Doka-Vierstrangkette 3,20m

15.0 588620000

Follow the directions in the "Operating Instructions"!

**Crane sling 3.50m**
Kranseilschlaufe 3,50m

8.8 580461000

Diameter: 16 cm


Follow the directions in the "Operating Instructions"!

**Fix-De-Fix remote uncoupling system 3150kg**

Abhängeautomat Fix-De-Fix 3150kg


27.0 586014000

Follow the directions in the "Operating Instructions"!



Scaffold tube 48.3mm 1.00m 3.6 682014000
Scaffold tube 48.3mm 1.50m 5.4 682015000
Scaffold tube 48.3mm 2.00m 7.2 682016000
Scaffold tube 48.3mm 2.50m 9.0 682017000
Scaffold tube 48.3mm 3.00m 10.8 682018000
Scaffold tube 48.3mm 3.50m 12.6 682019000
Scaffold tube 48.3mm 4.00m 14.4 682021000
Scaffold tube 48.3mm 4.50m 16.2 682022000
Scaffold tube 48.3mm 5.00m 18.0 682023000
Scaffold tube 48.3mm 5.50m 19.8 682024000
Scaffold tube 48.3mm 6.00m 21.6 682025000
Scaffold tube 48.3mmm 3.6 682001000
 Gerüstrohr 48,3mm


Galvanised



Screw-on coupler 48mm 50 0.84 682002000
Screw-on coupler 48mm 95 0.88 586013000
 Anschraubkupplung

Galvanised

Width-across: 22 mm



Swivel coupler 48mm 1.5 582560000
 Drehkupplung 48mm

Galvanised

Width-across: 22 mm



Warning sign "No entry" 300x300mm 0.70 581575000
 Verbotsschild "Zutritt Verboten" 300x300mm

**Tool box GF**

GF-Werkzeugbox

6.5 580390000

included in scope of supply:

(A) Reversible ratchet 1/2"

0.73 580580000

Galvanised

Length: 30 cm

(B) Fork wrench 13/17 0.08 580577000

(C) Fork wrench 22/24 0.22 580587000

(D) Fork wrench 30/32 0.80 580897000

(E) Ring spanner 17/19 0.27 580590000

(F) Extension 11cm 1/2" 0.20 580581000

(G) Extension 22cm 1/2" 0.31 580582000


(H) Universal joint coupling 0.16 580583000

(I) Nut for box spanner 19 1/2" L 0.16 580598000

(J) Box nut 13 1/2" 0.06 580576000

(K) Box nut 24 1/2" 0.12 580584000

(L) Box nut 30 1/2" 0.20 580575000

**Additional tools MF**

Zusatzwerkzeuge MF

4.1 580682000

consisting of:

(A) Reversible ratchet 3/4"

1.5 580894000

Galvanised

Length: 50 cm

(B) Box nut 17 1/2" 0.07 580685000

(C) Box nut 50 3/4" 0.81 581449000

(D) Extension 20cm 3/4" 0.68 580683000


(E) Transition piece A 1/2"x3/4" 0.18 580684000

(F) Universal cone spanner 15.0/20.0 0.90 581448000

Galvanised

Length: 9 cm

Width-across: 50 mm

**Nut for box spanner 24 1/2" L**

Hülse nuss 24 1/2" L

0.30 586364000

**Combination wrench 24**

Ring-Maulschlüssel 24


0.25 582839000



Ratchet MF 3/4" SW50
Antriebsknarre MF 3/4" SW50

3.8 580648000

Galvanised



Doka Safety Systems



You will find working and protection platforms, guardrail systems and access systems in the section headed "Doka Safety Systems".