


[kg] Article n°

[kg] Article n°

Frami Xlife panel 0.90x1.20m	39.0	588401500
Frami Xlife panel 0.75x1.20m	33.5	588447500
Frami Xlife panel 0.60x1.20m	29.5	588463500
Frami Xlife panel 0.45x1.20m	24.0	588404500
Frami Xlife panel 0.30x1.20m	19.5	588405500
Frami Xlife panel 0.90x1.50m	46.5	588406500
Frami Xlife panel 0.75x1.50m	41.3	588448500
Frami Xlife panel 0.60x1.50m	35.5	588464500
Frami Xlife panel 0.45x1.50m	28.9	588409500
Frami Xlife panel 0.30x1.50m	24.8	588410500
Frami Xlife panel 0.90x2.70m	79.2	588481500
Frami Xlife panel 0.75x2.70m	69.5	588449500
Frami Xlife panel 0.60x2.70m	60.5	588465500
Frami Xlife panel 0.45x2.70m	49.5	588482500
Frami Xlife panel 0.30x2.70m	40.3	588483500
Frami Xlife panel 0.90x3.00m	86.5	588411500
Frami Xlife panel 0.75x3.00m	76.5	588412500
Frami Xlife panel 0.60x3.00m	65.0	588413500
Frami Xlife panel 0.45x3.00m	54.3	588414500
Frami Xlife panel 0.30x3.00m	45.0	588415500


Galvanised

Custom sizes on enquiry!




Frami Xlife universal panel 0.75x1.20m	39.0	588402500
Frami Xlife universal panel 0.75x1.50m	49.5	588407500
Frami Xlife universal panel 0.75x2.70m	83.5	588484500
Frami Xlife universal panel 0.75x3.00m	93.0	588416500

Galvanised



Frami Xlife universal panel 0.90x1.20m	47.2	588423500
Frami Xlife universal panel 0.90x1.50m	58.7	588424500
Frami Xlife universal panel 0.90x2.70m	106.4	588427500
Frami Xlife universal panel 0.90x3.00m	117.5	588428500

Galvanised



Frami anchoring panel 0.60x1.20m	32.1	588403000
Frami anchoring panel 0.60x1.50m	37.8	588408000

Frami-Ankerelement




Galvanised

Corners marked in green

Frami inside corner 1.20m 20cm	25.3	588471000
Frami inside corner 1.50m 20cm	30.7	588472000
Frami inside corner 2.70m 20cm	51.6	588485000
Frami inside corner 3.00m 20cm	57.4	588417000

Frami-Innenecke


Galvanised



Frami outside corner 1.20m	11.0	588459000
Frami outside corner 1.50m	12.9	588460000
Frami outside corner 2.70m	23.8	588461000
Frami outside corner 3.00m	25.0	588418000

Frami-Außenecke


Galvanised



Frami hinged inside corner I galv. 1.20m	34.1	588425500
Frami hinged inside corner I galv. 1.50m	40.8	588426500

Frami-Scharnierecke I verzinkt

Galvanised



Frami hinged outside corner A galv. 1.20m	12.9	588419000
Frami hinged outside corner A galv. 1.50m	16.0	588420000

Frami-Scharnierecke A verzinkt

Galvanised



[kg] Article n°


<b>Frami circular forming plate 0.20x1.50m</b>	<b>21.5 588486000</b>
<b>Frami circular forming plate 0.25x1.50m</b>	<b>22.5 588487000</b>
<b>Frami circular forming plate 0.30x1.50m</b>	<b>23.5 588488000</b>
Frami-Bogenblech	

Powder-coated, blue




<b>Frami anchor waling 0.40m</b>	<b>4.4 588489000</b>
Frami-Ankerriegel 0,40m	

Painted blue



<b>Frami fitting timber 10x9cm 1.50m</b>	<b>6.0 176035000</b>
<b>Frami fitting timber 5x9cm 1.50m</b>	<b>3.0 176034000</b>
<b>Frami fitting timber 3x9cm 1.50m</b>	<b>1.9 176033000</b>
<b>Frami fitting timber 2x9cm 1.50m</b>	<b>1.2 176032000</b>
<b>Frami fitting timber 10x9cm 2.70m</b>	<b>12.3 176083000</b>
<b>Frami fitting timber 5x9cm 2.70m</b>	<b>6.1 176082000</b>
<b>Frami fitting timber 3x9cm 2.70m</b>	<b>3.7 176081000</b>
<b>Frami fitting timber 2x9cm 2.70m</b>	<b>2.5 176080000</b>
Frami-Passholz	

Varnished yellow




<b>Frami plywood support 27mm</b>	<b>2.0 588473000</b>
<b>Frami plywood support 21mm</b>	<b>2.1 588474000</b>
<b>Frami plywood support 18mm</b>	<b>2.2 588499000</b>
Frami-Schalhautwinkel	

Galvanised  
Height: 56 cm

<b>Framax stripping corner I 2.70m</b>	<b>171.0 588675000</b>
<b>Framax stripping corner I 1.35m</b>	<b>90.0 588614000</b>
<b>Framax stripping corner I 3.30m</b>	<b>209.9 588676000</b>
Framax-Ausschalecke I	

Galvanised, powder-coated



<b>Framax stripping spindle I</b>	<b>3.2 588618000</b>
Framax-Ausschalspindel I	

Galvanised  
Height: 25 cm


<b>Framax stripping spindle I with ratchet</b>	<b>5.5 588653000</b>
Framax-Ausschalspindel I mit Ratsche	

Galvanised  
Height: 24.8 cm


<b>Extension set Framax stripping spindle I</b>	<b>0.90 588947000</b>
Erweiterungsset Framax Ausschalspindel I	

Galvanised  
Height: 2.5 cm


<b>Dismantling tool Framax stripping spindle I</b>	<b>4.5 588948000</b>
Lösewerkzeug Framax Ausschalspindel I	

Galvanised  
Height: 27.5 cm


<b>Frami tie-adapter for stripping corner I</b>	<b>0.47 588492000</b>
Frami-Ankeradapter für Ausschalecke I	

Galvanised  
Height: 11 cm


<b>Frami profile adapter for stripping corner I</b>	<b>0.60 588491000</b>
Frami-Profiladapter für Ausschalecke I	

Galvanised  
Height: 8 cm

<b>Framax quick acting clamp RU</b>	<b>3.3 588153400</b>
Framax-Schnellspanner RU	

Galvanised  
Length: 20 cm

<b>Frami panel shoe</b>	<b>1.3 588490000</b>
Frami-Elementschuh	

Galvanised  
Length: 16 cm

<b>Frami clamp</b>	<b>1.2 588433000</b>
Frami-Spanner	


Galvanised  
Length: 11 cm

**Frami aligning clamp**

Frami-Richtspanner

**3.2 588435000**Galvanised  
Length: 62 cm**Frami adjustable clamp**

Frami-Ausgleichsspanner


**3.6 588436000**Galvanised  
Length: 40 cm**Frami universal waling 0.70m**

Frami-universal waling 1.25m


**3.7 588439000****6.4 588440000**

Frami-Klemmschiene


Painted blue

**Frami wedge clamp**


Frami-Klemme

**1.1 588441000**Galvanised  
Length: 16 cm**Frami universal fixing bolt 5-12cm**


Frami-Universalverbinder 5-12cm

**0.43 588479000**Galvanised  
Length: 23 cm**Frami profile connector 5-18cm**


Frami-Profilverbinder 5-18cm

**0.80 588493000**Galvanised  
Length: 33 cm**Frami corner connector**


Frami-Eckverbinder

**0.40 588446000**Galvanised  
Length: 19 cm**Frami stop-end waler tie 15-45cm**

Frami-Stirnabschalzwinge 15-45cm

**8.8 588498000**Galvanised  
Length: 85 cm**Frami lifting hook**

Frami-Umsetzbügel

**7.5 588438000**Galvanised  
Width: 15 cm  
Height: 21 cm  
Follow the directions in the "Operating Instructions"!

CE

**Plumbing strut 260 IB**

Justierstütze 260 IB

**12.8 588437500**Galvanised  
Length: 146.8 - 256.7 cm**Panel strut 340 IB**

Elementstütze 340 IB

**24.3 580365000**

consisting of:

**(A) Plumbing strut 340 IB**

Galvanised

**16.7 588696000**


Length: 190.8 - 341.8 cm

**(B) Adjusting strut 120 IB**


Galvanised

**7.6 588248500**


Length: 81.5 - 130.6 cm

Galvanised  
Delivery condition: folded closed**Strut head EB**

Strebenkopf EB

**1.4 588945000**Galvanised  
Width: 9 cm  
Height: 14 cm**Universal dismantling tool**

Universal-Lösewerkzeug

**3.7 582768000**Galvanised  
Length: 75.5 cm**Doka express anchor 16x125mm**

Doka-Expressanker 16x125mm

**0.31 588631000**Galvanised  
Length: 18 cm  
Follow fitting instructions!**Doka coil 16mm**

Doka-Coil 16mm

**0.009 588633000**Galvanised  
Diameter: 1.6 cm


[kg] Article n°

[kg] Article n°

**Frami bracket 60**

Frami-Konsole 60

7.7 588442000

Galvanised  
Length: 98 cm  
Height: 157 cm**Screw-on coupler 48mm 50**

Anschraubkupplung 48mm 50

0.84 682002000

Galvanised  
Width-across: 22 mm**Frami frame hole plug**

Frami-Ankerstopfen

0.002 588444000

Blue  
Diameter: 2.5 cm**Bracket planking 60/270m**

Konsolenbelag 60/270cm

51.4 583030000

Steel parts galvanised  
Timber parts varnished yellow  
(not illustrated)**Frami plug**

Frami-Abdeckstopfen

0.003 588445000

Yellow  
Diameter: 2 cm**Bracket railing 240-270cm**

Konsolengeländer 240-270cm

20.2 583032000

Galvanised  
(not illustrated)**Framax triangular ledge 2.70m**


Framax-Dreikanteiste 2,70m

0.38 588170000

**Frami adjustment frame**

Frami-Standkonsole

14.3 588451000

Galvanised  
Length: 103 cm  
Height: 94 - 143 cm**Frami frontal triangular ledge 2.70m**


Frami-frontal dreikanteiste 3.00m

1.5 588496000

1.7 588497000

Frami-Stimdreikanteiste

Grey

**Handrail post 1.00m**

Geländer 1,00m

3.8 584335000

Galvanised  
Length: 124 cm**Box-out clamp 24cm**

Box-out clamp 25cm


Box-out clamp 30cm

Aussparungsklemme

3.3 580063000

3.4 580064000

3.8 580065000

Galvanised  
Leg length: 10 cm**Scaffold tube 48.3mm 0.50m**

Scaffold tube 48.3mm 1.00m

Scaffold tube 48.3mm 1.50m

Scaffold tube 48.3mm 2.00m

Scaffold tube 48.3mm 2.50m

Scaffold tube 48.3mm 3.00m

Scaffold tube 48.3mm 3.50m

Scaffold tube 48.3mm 4.00m

Scaffold tube 48.3mm 4.50m

Scaffold tube 48.3mm 5.00m

Scaffold tube 48.3mm 5.50m

Scaffold tube 48.3mm 6.00m

Scaffold tube 48.3mm .....m

Gerüstrohr 48,3mm

1.7 682026000

3.6 682014000

5.4 682015000

7.2 682016000

9.0 682017000

10.8 682018000

12.6 682019000

14.4 682021000

16.2 682022000


18.0 682023000

19.8 682024000

21.6 682025000

3.6 682001000

Galvanised


**Box-out clamp type 1 .....cm**

Box-out clamp type 2 .....cm

Aussparungsklemme .....cm

13.6 580066000

15.0 580067000

Painted blue  
Leg length: 10 cm**Frami tie-holder bracket**

Frami-Ankerhaltewinkel

0.58 588453000

Galvanised

**Scaffold tube connection**


Gerüstrohranschluss

0.27 584375000

Galvanised  
Height: 7 cm**Frami flat tie-rod 10-80cm**

Frami-Flachanker 10-80cm

2.1 588475000


Galvanised  
Length: 97 cm

[kg] Article n°


[kg] Article n°

**Frami clip** 0.26 588434000


Frami-Stecker

Galvanised  
Width: 3 cm  
Height: 12 cm**Frami floor fixing plate** 0.53 588495000

Frami-Bodenhalter

Galvanised  
Length: 12.7 cm  
Width: 6.7 cm**Frami foundation clamp** 1.6 588452000


Frami-Fundamentspanner

Galvanised  
Height: 9 cm**Doka perforated tape 50x2.0mm 25m** 17.0 588206000


Doka-Lochband 50x2,0mm 25m

**Supporting construction** 10.7 588477000

Abstützwinkel

Galvanised  
Length: 66 cm  
Width: 37 cm  
Height: 91 cm**Doka 4-part chain 3.20m** 15.0 588620000

Doka-Vierstrangkette 3,20m



Follow the directions in the "Operating Instructions"!

CE

**Frami transport hook 2.5kN** 0.56 588494000

Frami-Transporthaken 2,5kN

Galvanised  
Length: 17.5 cm  
Follow the directions in the "Operating Instructions"!

CE

**Dokamatic lifting strap 13.00m** 10.5 586231000


Dokamatic-Umsetzgurt 13,00m

Green  
Follow the directions in the "Operating Instructions"!


CE

**Double scraper Xlife 100/150mm 1.40m** 2.8 588674000

Doppelschaber Xlife 100/150mm 1,40m

**Wheel-around scaffold DF** 44.0 586157000

Mobilgerüst DF

Aluminium  
Length: 185 cm  
Width: 80 cm  
Height: 255 cm  
Delivery condition: folded closed  
Follow the directions in the "Operating Instructions"!

## Doka Safety Systems



You will find working and protection platforms, guardrail systems and access systems in the section headed "Doka Safety Systems".