

doka

The Formwork Experts.

Forming speed in a new dimension


Panel floor formwork Dokadek 30



*... forming
even faster*

The winner

among the floor formwork panels.



Quicker to put up – quicker to take down

- high-speed forming with large panels measuring 3 m²
- fast forming of greater room heights without ladder or platform systems thanks to 2.44 m long panels
- no time-consuming operator errors thanks to pre-defined assembly sequence
- fast stripping made possible by panels that are easily and safely tilted
- forming even faster than with other manual floor formwork systems*



Fast closing of filler zones

with suspension clamps and beams, without extra floor props



Time-saving forming of wall junctions

thanks to seamless transition to Dokaflex



Greatly reduced crane-time

enabled by speedy forming from ground level; the crane is only needed for lifting infill zone materials onto the floor



Even faster construction workflow

- thanks to early stripping using the Dokadek XF drop head
- made possible by real-time measurement of concrete strength development with Concremote



* **Source:** Handbook for construction work organization: System formwork – floors: Richtzeiten, ztv-Verlag, Neu-Isenburg, 2015 // applies to all sample floor plans with room heights of 2.50 m - 3.50 m and without drop head system.

Safely forming floor slabs even faster with Dokadek 30.



**Quickly forming up to 3.50 m
room height without aids
working safely from floor-level**



Attractive concrete finish
thanks to few and neatly arranged joints



Fast and safe handling

with ergonomically designed grip-holes in
the edge-profile of the large-area rectangular
panels



No additional measures for wind protection

with built-in anti-liftout guards
in support head



Fast intermediate cleaning

made easy with edge-profiles
with narrow mating surface



Simplified logistics on the site

Storing and transporting only
two panel sizes



Fast forming with greater room heights

- with suspension tool up to 4.00 m
- with DekLift up to 4.50 m



Dokadek 30

Safely forming floor slabs even faster.

Extremely fast

- high-speed forming with large panels measuring 3 m²
- fast forming of greater room heights without ladder or platform systems thanks to 2.44 m long panels
- pre-defined assembly sequence prevents time-consuming operator errors
- fast stripping made possible by panels that are easily and safely tilted

Cost-cutting

- galvanized frames in yellow coated lightweight steel design and robust Xlife sheets ensure a long lifespan
- no cost for wearing parts such as cover strips

Easy and safe

- panels can always be assembled safely from the floor level without stepping onto the floor formwork
- heads have built-in anti-liftout guards to prevent panels from accidentally dropping down
- pre-defined assembly sequence makes for safe erection of the system
- simplified logistics thanks to only two panel formats

Attractive concrete finish

- consistent joint pattern
- few joints
- even concrete finish with Xlife sheets