



doka

The Formwork Experts.

Floor prop **Eurex 20 eco**

The economical floor prop for
working quickly and safely

www.doka.com

Compliant with
EN 1065 B/D


The economical floor prop for working quickly and safely

The certified high-quality floor prop from Doka stands out for its high load capacity, easy and safe handling, as well as an impressive price-performance ratio.

Floor prop Eurex 20 eco

High load capacity and safe handling

- up to 36.7 kN permitted load capacity
- quick and easy height adjustment thanks to numbered and engraved pegging holes
- optimised thread pitch allows for quick and safe release even under high loads
- low weight results in speedy work that conserves energy
- safe working conditions thanks to drop-out latch and handtrap-prevention
- long lifespan due to high-quality galvanisation and forged adjusting nut



- A** numbered pegging holes
- B** forged nut
- C** galvanised
- D** ergonomic fastening clamp

Article designation	Length (cm)	Weight (kg)
Eurex 20 eco 250	148-250	11.5
Eurex 20 eco 300	173-300	13.8
Eurex 20 eco 350	198-350	16.8
Eurex 20 eco 400	223-400	21.0
Eurex 20 eco 450	248-450	24.1

Permitted load-bearing capacity (kN)

Prop length (m)	250		300		350		400		450	
	bottom	top								
4.5									22.9	25.8
4.4									24.3	27.5
4.3									25.7	29.3
4.2									27.2	31.2
4.1									28.9	33.3
4.0							21.3	24.5	30.5	35.4
3.9							22.8	26.4	32.4	36.7
3.8							24.2	28.3	34.3	36.7
3.7							25.8	30.4	36.3	36.7
3.6							27.4	32.7	36.7	36.7
3.5					20.6	24.1	29.0	35.1	36.7	36.7
3.4					22.1	26.3	30.7	36.7	36.7	36.7
3.3					23.7	28.4	32.3	36.7	36.7	36.7
3.2					25.3	30.8	33.6	36.7	36.7	36.7
3.1					27.0	33.6	34.5	36.7	36.7	36.7
3.0			20.4	24.4	28.7	36.4	35.5	36.7	36.7	36.7
2.9			22.0	26.9	29.5	36.7	36.7	36.7	36.7	36.7
2.8			23.7	29.4	30.4	36.7	36.7	36.7	36.7	36.7
2.7			25.0	31.8	31.3	36.7	36.7	36.7	36.7	36.7
2.6			25.9	34.2	32.4	36.7	36.7	36.7	36.7	36.7
2.5	20.0	24.2	26.9	36.7	33.5	36.7	36.7	36.7	36.7	36.7
2.4	21.1	26.7	27.7	36.7	34.7	36.7	36.7	36.7		
2.3	22.2	29.1	28.6	36.7	35.9	36.7	36.7	36.7		
2.2	23.0	31.6	29.6	36.7	36.7	36.7				
2.1	23.7	34.0	31.0	36.7	36.7	36.7				
2.0	24.3	36.4	32.3	36.7	36.7	36.7				
1.9	25.4	36.7	33.9	36.7						
1.8	26.6	36.7	35.5	36.7						
1.7	28.0	36.7								
1.6	29.8	36.7								
1.5	31.5	36.7								

